



BTech[®]
AV Mounts

2026 Highlights
Product Catalog

www.btechavmounts.com



Future Stores

London, Oxford Street
400sqm dvLED wall using System Xpert

Welcome to the latest edition of the B-Tech AV Mounts Catalog

Established in London in 1972, B-Tech AV Mounts is an industry leader in the design and manufacture of professional AV mounting solutions, whose products are recognized globally for their innovation, robustness, reliability, ease of install and design aesthetics. With strategically located offices and distribution centers around the world, B-Tech provides a truly global localized service. B-Tech AV Mounts not only offers one of the most extensive but also the most versatile and adaptable mounting ranges available from any mounting solutions provider.

B-Tech mounting solutions cover all AV requirements ranging from small, single screens to large format displays, projectors, speakers, interactive touchscreens and UC equipment, as well as large, multi-screen LCDs and dvLED video walls and digital signage. Designed to stringent TUV and UL safety standards by B-Tech's in-house team of engineers, our products are available as wall or ceiling mounts, desktop stands or as freestanding, mobile or bolt-down floor stands. Winners of multiple accolades including AV Awards' AV Manufacturer of the Year crown, B-Tech AV Mounts products are found in hotels, shopping malls, government facilities, education, corporate offices, sports stadiums, restaurants, airports and conference facilities worldwide.



QR Codes

All products in the catalogue feature QR codes that you can scan to access the product's dedicated web page. There, you'll find the full product specifications, features, images, assembly manuals, and specification sheets.



Contact:

B-Tech AV Mounts LLC
+1 888 792 8188

Americas@btechavmounts.com

Subscribe to our mailing list for the latest news, event details and product launches: www.btechavmounts.com/mailling-list
For full company info, product specs, assembly manuals, configuration tools, PR and media files, please visit: www.btechavmounts.com



Contents

Welcome to the B-Tech Highlights Catalog	Pg.2
Contents	3
About B-Tech	4-5
Complete Mounting Solutions Quick Reference Guides	Pg.6-13
dvLED Mounting Solutions	14-29
Menu Board Mounting Systems	30-31
Videowall Mounting Systems	32-37
Modular Videowall Mounts	38-39
Digital Signage Mounts	40-43
Flat Screen Wall Mounts	44-45
Flat Screen Ceiling Mounts	46-47
Floor Stands & Mobile Solutions	48-51
UC & VC Twin Screen Mounting Solutions	52-53
Media Storage Solutions & Accessory Mounts	54-56
Video Bar Mounts	57
Speakers Mounts	59
Projector Ceiling Mounts	60-61
Component Ranges	Pg.62-71
Mounting Guides	

dvLED Mounting Solutions



Menu Board & Videowall Mounting Systems



Digital Signage



Flat Screen Wall Mounts



Flat Screen Ceiling Mounts



Floor Stands & Mobile Solutions



UC / VC Display Stands



Media Storage Devices & Shelves



Video Bar Mounts



Speaker Mounts




Projector Ceiling Mounts



Components Ranges



SYSTEM X SYSTEM 2



XR Studio

Paris, France

Curved dvLED video wall with a 25x7 suspended ceiling mount using System Xpert & System 2

Complete technical drawings & installation guides provided.
Pre-assembled frames and rails cut to size for quick and easy on-site install.

Why Choose B-Tech?

Comprehensive Product Range

Our extensive catalogue features one of the industry's largest selections of mounting solutions. a wide selection of mounting solutions, including wall, ceiling and floor mounts for display screens, dvLED, projectors, and audio equipment.

Decades of Excellence

Established in 1972, B-Tech brings over 50 years of industry experience and is a multiple award-winner, including Manufacturer of the Year at the AV Awards, and top honors for our System X and dvLED solutions.

Rapid, Accurate Quotes & Fast Dispatch

We offer quick, precise quotes for complex set-ups, including dvLED installations, often fulfilling bespoke needs directly from stock. Many of B-Tech's global locations offer same-day dispatch, ensuring swift delivery for urgent requirements.

Dedicated Support

Our technical and sales teams are always available to answer questions and provide expert guidance. Our engineers are available to design tailored installation plans and provide quotes based on your precise requirements.

Limitless Configurations

With thousands of configurations available through our stocked, modular component systems, we provide versatile options for any project. Our ranges enable custom configurations, making installations exceptionally flexible and adaptable.


Installer Friendly

B-Tech mounts are designed with installation simplicity in mind, many features are included to save the installer on-site time with a streamlined mounting processes, pre-assembly of key components, rails cut to size in-house.



Fully stocked distribution centers

Enables a fast turn around on orders and shipping




Pre-assembly

To save valuable on-site installation time

Sustainability

As part of our ethical responsibility, B-Tech are committed to operating in an environmentally responsible way throughout our global organisation.



Green sheets provide a clear and concise document detailing materials used and the environmental impact of each product.

Sustainability

Governance

As part of our commitment to environmental responsibility, B-Tech is eliminating plastic from our packaging across the entire product range and reducing waste by recycling 100% of excess cardboard. Our Green Sheets are one of the ways we provide clear, straightforward information about our sustainability efforts. B-Tech AV Mounts is a member of the **Sedex** platform for ethical trade and is committed to transparency and accountability throughout its global supply chain. This membership allows B-Tech to monitor, manage and report on ethical performance in key areas including labour rights, health & safety, environment and business ethics.

Management System

As part of Global Mounts Group, our management structure combines responsible leadership and independent oversight. Company directors work closely with department leaders to set environmental goals, including transitioning to recyclable materials and waste management practices.

Development Goals

To strengthen our environmental performance, we continuously evaluate our use of sustainable materials, re-think product life-cycles, and introduce new green initiatives that support long term sustainability. We remain committed to delivering high quality products, services and solutions while fully complying with all applicable laws and international standards.

Environmental Risk Management

Environment considerations are integrated into our manufacturing processes, supply chains, R&D and sales. We continuously monitor our global operations with a focus on environment protection, safety, climate change, energy use and regulatory compliance. Our risk management approach is designed to provide reasonable assurance that we will meet both our strategic and operational sustainability objectives.

Sedex² | Member



B-Tech recycles 100% of excess cardboard as filler and implements a no plastic tape policy





dvLED / Multi-Screen / Digital Signage Mounts Quick Reference Guide

System Xpert dvLED Mounts	Wall	Freestanding	Mobile	Bolt-Down	
					Retractable Base 
	BT9340	BT9370	BT9371	BT9372	BT9377
	▪ BT9340-FM front mounted ▪ BT9340-RM rear mounted	▪ BT9370-FM front mounted ▪ BT9370-RM rear mounted	▪ BT9371-FM front mounted ▪ BT9371-RM rear mounted	▪ BT9372-FM front mounted ▪ BT9372-RM rear mounted	▪ BT9377-FM front mounted ▪ BT9377-RM rear mounted
System X Menu Board Mounts	Wall	Wall / Pop-Out		Ceiling	
					Curved 
	BT8330	BT8331		BT8332	BT8333
	▪ Max screen size: 75" ▪ Max load: 110lbs per screen ▪ Mounting patterns: up to 900mm	▪ Max screen size: 75" ▪ Max load: 110lbs per screen ▪ Mounting patterns: up to 900mm		▪ Max screen size: 75" ▪ Max load: 110lbs per screen ▪ Mounting patterns: up to 900mm	▪ Max screen size: 75" ▪ Max load: 110lbs per screen ▪ Mounting patterns: up to 900mm
System X Videowall Floor Stands	Freestanding	Mobile	Bolt-Down		
					
	BT8370	BT8371	BT8372		
	▪ Max screen size: 75" ▪ Max load: 110lbs per screen ▪ Mounting patterns: up to 900mm	▪ Max screen size: 75" ▪ Max load: 110lbs per screen ▪ Mounting patterns: up to 900mm	▪ Max screen size: 75" ▪ Max load: 110lbs per screen ▪ Mounting patterns: up to 900mm		
Modular Full Service Wall Mounts	Wall / Pop-Out			Wall	
	Micro-Adjustment	Micro-Adjustment Slimline	Micro-Adjustment XXL	Rotation	Portrait
					
	BT8309	BT8312	BT8310XL	BT7550	BT8322
	▪ Max screen size: 42" ▪ Max load: 55lbs ▪ Mounting patterns: 75x75 up to 200x200 ▪ Distance from wall: 3" - 7.5"	▪ Max screen size: 75" ▪ Max load: 110lbs ▪ Mounting patterns: 200x100 to 600x400 ▪ Distance from wall: 3" - 8.75"	▪ Max screen size: 120" ▪ Max load: 275lbs ▪ Mounting patterns: 200x100 to 600x400 ▪ Distance from wall: 4" - 11.5"	▪ Max screen size: 65" ▪ Max load: 154lbs ▪ Mounting patterns: up to 400x400 ▪ Screen rotation: 90°	▪ Max screen size: 65" ▪ Max load: 176lbs ▪ Mounting patterns: up to 400x600mm ▪ Distance from wall: 1.4"
XXL Digital Signage	Wall	XXL Ultrawide Portrait	Wall / Pop-Out		
			Micro-Adjustment 	Micro-Adjustment Portrait 	Micro-Adjustment 
	BT9920	BT9923	BT9921	BT9925	BT9926
	▪ Max screen size: 72" - 120" ▪ Max load: 440lbs ▪ Mounting patterns: up to 1600x800mm ▪ Distance from wall: 2"	▪ Max screen size: 105"-120" ▪ Max load: 440lbs ▪ Mounting patterns: up to 600x1500mm ▪ Distance from wall: 2"	▪ Max screen size: 72" - 120" ▪ Max load: 176lbs ▪ Mounting patterns: up to 1600x800mm ▪ Distance from wall: 5" - 11"	▪ Max screen size: 72" -120" ▪ Max load: 176lbs ▪ Mounting patterns: up to 800x1600 ▪ Distance from wall: 5" - 11"	▪ Max screen size: 72" -120" ▪ Max load: 440lbs ▪ Mounting patterns: up to 1600x800 ▪ Distance from wall: 6" - 13"



System Xpress dvLED Mounts	Wall	Freestanding	Mobile	Bolt-Down	Ceiling
	 BTXPS27-W - Kits: 4x4, 5x5, 6x6 & 8x8 - Custom configuration	 BTXPS27-S - Kits: 4x4, 5x5, 6x6 & 8x8 - Custom configuration	 BTXPS27-M - Kits: 4x4, 5x5, 6x6 & 8x8 - Custom configuration	 BTXPS27-B - Kits: 4x4, 5x5, 6x6 & 8x8 - Custom configuration	 BT9242 Custom configuration available

System X Videowall Mounts	Wall	Wall / Pop-Out	Ceiling	
	 BT8340 - Max screen size: 75" - Max load: 110lbs per screen - Mounting patterns: up to 900mm	 BT8341 - Max screen size: 75" - Max load: 110lbs per screen - Mounting patterns: up to 900mm	 BT8342 - Max screen size: 75" - Max load: 110lbs per screen - Mounting patterns: up to 900mm	Curved  BT8343 - Max screen size: 75" - Max load: 110lbs per screen - Mounting patterns: up to 900mm

System X Curved Videowall Mounts	Freestanding	Mobile	Bolt-Down
	 BT8373 - Max screen size: 75" - Max load: 110lbs per screen - Mounting patterns: up to 900mm	 BT8376 - Max screen size: 75" - Max load: 110lbs per screen - Mounting patterns: up to 900mm	 BT8375 - Max screen size: 75" - Max load: 110lbs per screen - Mounting patterns: up to 900mm


E-Paper Mounts	Wall		Freestanding				Ceiling
							
	SAMSUNG EMDX Series		SAMSUNG EMDX Series		SAMSUNG EMDX Series		SAMSUNG EMDX Series
	BT7611	BT7611-SAM32	BT7612	BT7612-SAM32	BT7613	BT7613-SAM32	BT7671-SAM32
	▪ Max screen size: 43" ▪ Max load: 10kg ▪ Mounting patterns: up to 200x200mm ▪ Tilt: +/-10°	▪ Max screen size: 32" ▪ Max load: 10kg ▪ Mounting patterns: up to 200x200mm ▪ Tilt: +/-10°	▪ Max screen size: 43" ▪ Max load: 10kg ▪ Mounting patterns: up to 200x200mm ▪ Tilt: +/-35°	▪ Max screen size: 32" ▪ Max load: 10kg ▪ Mounting patterns: up to 200x200mm ▪ Tilt: +/-15°	▪ Max screen size: 43" ▪ Max load: 10kg per screen ▪ Mounting patterns: up to 200x200mm ▪ Tilt: +/-20°	▪ Max screen size: 32" ▪ Max load: 10kg per screen ▪ Mounting patterns: up to 200x200mm ▪ Tilt: +/-15°	▪ Max screen size: 32" ▪ Max load: 10kg ▪ Mounting patterns: up to 200x200mm ▪ Tilt: +/-10°

Freestanding	Bolt-Down				Ceiling
Screen Enclosure	Screen Enclosure	Retractable Base Pole	Retractable Base Column	SAMSUNG OMN-D Series	SAMSUNG OMN-D Series
 BT7003 - Max screen size: 65" - Max load: 110lbs - Mounting patterns: up to 600x400mm	 BT7004 - Max screen size: 65" - Max load: 110lbs - Mounting patterns: up to 600x400mm	 BT8577 - Max screen size: 75" - Max load: 110lbs - Mounting patterns: up to 600x400mm	 BT8587 - Max screen size: 86" - Max load: 154lbs - Mounting patterns: up to 600x800mm	 BT8326 For use with: 55" Samsung OMN-D Series	 BT8325 For use with: 55" Samsung OMN-D Series

Floor Stands / Carts Quick Reference Guide

Carts	Mobile					
						
	BT7504 - Max screen size: 55" - Max load: 55lbs - Mounting patterns: up to 400x400 - Dimensions: H:47.6" W:30" D:18"	BT8562 - Max screen size: 75" - Max load: 154lbs - Mounting patterns: up to 600x400 - Dimensions: H:74" W:40.5" D:30.2"	BT8547 - Max screen size: 65" - Max load: 110lbs - Screen rotation: 90° - Mounting patterns: up to 400x400 - Dimensions: H:63" W:29.5" D:26"	BT8566 - Max screen size: 75" - Max load: 154lbs - Screen rotation: 90° - Mounting patterns: up to 600x400 - Dimensions: H:76" W:42.3" D:34"	BT8564 - Max screen size: 65" - 120" - Max load: 285lbs - Mounting patterns: up to 1000x600 - Dimensions: H:75" W:48.5" D:30"	
	Freestanding					
						
	BT840 - Max screen size: 39"-75" - Max load: 155lbs - Mounting patterns: up to 600x400 - Dimensions: H:72.5" W:35" D:23.8"	BT843 - Max screen size: 65" - 85" - Max load: 155lbs - Mounting patterns: up to 800x600 - Dimensions: H:72.5" W:35" D:23.8"	BT841 - Max screen size: 32" - 65" - Max load: 77lbs per screen - Mounting patterns: up to 600x400 - Dimensions: H:72.5" W:35" D:23.8"	BT842 - Max screen size: 47" - 65" - Max load: 77lbs per screen - Mounting patterns: up to 600x400 - Dimensions: H:96" W:35" D:23.8"		
Mode-AL Floor Stands	Floor-To-Wall		Floor-To-Ceiling		Bolt-Down	
						
	BT8701 - Max screen size: 75" - Max load: 154lbs - Mounting patterns: up to 600x400 - Dimensions: H:77.5" W:27.7" D:6.5"	BT8702 - Max screen size: 75" - Max load: 154lbs - Mounting patterns: up to 600x400 - Dimensions: H:80.7-106.3" W:27.7" D:8.3"	BT8704 - Max screen size: 75" - Max load: 154lbs - Mounting patterns: up to 600x400 - Dimensions: H:75.2" W:27.7" D:8.3"	BT8706 - Max screen size: 75" - Max load: 154lbs - Mounting patterns: up to 600x400 - Dimensions: H:76.5" W:26.5" D:29.6"	BT8709 - Max screen size: 65" - 100" - Max load: 220lbs - Mounting patterns: up to 900x800 - Dimensions: H:76.5" W:44.4" D:29.6"	
	Freestanding					
	XXL					
Twin Screen Video Conferencing	Bolt-Down			Freestanding		Mobile
						
	BT8537 - For screen sizes: 65" - 75" - Max load: 220lbs per screen - Mounting patterns: up to 1000x800 - Dimensions: H:72" W:96.5" D:9.5"	BT8538 - For screen sizes: 75" - 86" - Max load: 220lbs per screen - Mounting patterns: up to 1000x800 - Dimensions: H:72" W:118" D:9.5"	BT845 - For screen sizes: 46" - 55" - Max load: 55lbs per screen - Mounting patterns: up to 600x400 - Dimensions: H:72.5" W:69" D:23.8"	BT8527 - For screen sizes: 65" - 75" - Max load: 220lbs per screen - Mounting patterns: up to 1000x800 - Dimensions: H:76" W:96.5" D:37.4"	BT8528 - For screen sizes: 75" - 86" - Max load: 220lbs per screen - Mounting patterns: up to 1000x800 - Dimensions: H:76" W:118" D:37.4"	BT8514 - For screen sizes: 39" - 46" - Max load: 88lbs per screen - Mounting patterns: up to 400x400 - Dimensions: H:75" W:59.2" D:34"


XL Carts	Mobile				Floor-To-Wall
	Touchscreen	XXL Touchscreen	XXL	Motorized	Motorized
					
	BT8545 - Max screen size: 86" - Max load: 220lbs - Mounting patterns: up to 800x600 - Dimensions: H:68" W:41" D:35"	BT8546 - Max screen size: 110" - Max load: 275lbs - Mounting patterns: up to 1000x800 - Dimensions: H:70" W:49" D:30"	BT8590 - Max screen size: 72" - 120" - Max load: 285lbs - Mounting patterns: up to 1600x800mm - Dimensions: H:75" W:69" D:30"	BT8558 - Max screen size: 86" - Max load: 220lbs - Mounting patterns: up to 1000x600 - Dimensions: H:43.5 - 69" W:42.75" D:32"	BT8559 - Max screen size: 100" - Max load: 220lbs - Mounting patterns: up to 900x600 - Dimensions: H:52"-77" W:39" D:10"-10.7"

Floor Stands	Freestanding					
						
	BT8571 - Max screen size: 47" - Max load: 55lbs - Mounting patterns: up to 200x200 - Dimensions: H:72" W:27.5" D:20.3"	BT8572 - Max screen size: 55" - Max load: 88lbs - Mounting patterns: up to 600x400 - Dimensions: H:72" W:31.5" D:23.6"	BT8573 - Max screen size: 75" - Max load: 154lbs - Mounting patterns: up to 600x400 - Dimensions: H:72" W:31.5" D:23.6"	BT8581 - Max screen size: 47" - Max load: 77lbs - Mounting patterns: up to 200x200 - Dimensions: H:72.6" W:27.5" D:20.3"	BT8582 - Max screen size: 55" - Max load: 88lbs - Fits VESA patterns: up to 600x400 - Dimensions: H:72.6" W:31.5" D:23.6"	BT8583 - Max screen size: 75" - Max load: 154lbs - Mounting patterns: up to 600x400 - Dimensions: H:72.6" W:31.5" D:23.6"

Floor-To-Wall		Bolt-Down	Mode-AL Twin Screen Video Conferencing	Floor-To-Wall	Bolt-Down	Freestanding
XXL	XXL	XXL		VC Shelf	VC Shelf	VC Shelf
						
BT8707 - Max screen size: 65" - 100" - Max load: 440lbs - Mounting patterns: up to 900x800 - Dimensions: H:77.5" W:39.4" D:6.5"	BT8708 - Max screen size: 65" - 100" - Max load: 310lbs - Mounting patterns: up to 900x800 - Dimensions: H:75.2" W:39.4" D:8.3"			BT8710 - Max screen size: 65" - Max load: 155lbs per screen - Mounting patterns: up to 600x400 - Dimensions: H:77.5" W:78.7" D:6.5"	BT8711 - Max screen size: 65" - Max load: 155lbs per screen - Mounting patterns: up to 600x400 - Dimensions: H:75.2" W:78.7" D:8.3"	BT8712 - Max screen size: 65" - Max load: 123lbs per screen - Mounting patterns: up to 600x400 - Dimensions: H:76.5" W:78.7" D:29.6"

Mobile			Floor-To-Wall	Wall	
VC Shelf	VC Shelf	VC Shelf Motorized	VC Shelf Motorized	VC Shelf	VC Shelf
					
BT8516 - For screen sizes: 46" - 65" - Max load: 154lbs per screen - Mounting patterns: up to 600x400 - Dimensions: H:75" W:78.9" D:39"	BT8517 - For screen sizes: 65" - 75" - Max load: 220lbs per screen - Mounting patterns: up to 1200x800 - Dimensions: H:78.75" W:96.5" D:37.4"	BT8556 - Max screen size: 65" - Max load: 55lbs per screen - Mounting patterns: up to 600x400	BT8557 - Max screen size: 65" - Max load: 55lbs per screen - Mounting patterns: up to 600x400	BT8415 - For screen sizes: 39" - 46" - Max load: 154lbs per screen - Mounting patterns: up to 400x400mm - Distance from wall: 2.4"	BT8416 - For screen sizes: 46" - 65" - Max load: 154lbs per screen - Mounting patterns: up to 600x400mm - Distance from wall: 2.4"

Flat Screen Wall Mounts Quick Reference Guide



	Fixed	Tilt	Tilt & Swivel	Single Arm
Small	 BT7510 - Max screen size: 28" - Max load: 44lbs - Mounting patterns: 50x50, 75x75 & 100x100 - Distance from wall: 0.6"	 BT7511 - Max screen size: 28" - Max load: 44lbs - Mounting patterns: 75x75 & 100x100 - Tilt: +17/-10°	 BT7518 - Max screen size: 28" - Max load: 22lbs - Mounting patterns: 50x50, 75x75 & 100x100 - Tilt: +17/-10° • Swivel: 50° - Screen rotation: 360°	 BT7512 - Max screen size: 28" - Max load: 22lbs - Mounting patterns: up to 100x100 - Tilt: +17/-10° • Swivel: 180° - Screen Rotation: 360° - Distance from wall: 1.6" - 11"
Medium	 BT7532 - Max screen size: 47" - Max load: 88lbs - Mounting patterns: up to 200x200 - Distance from wall: 0.6"	 BT8200 - Max screen size: 47" - Max load: 88lbs - Mounting patterns: up to 200x200 - Distance from wall: 0.5"	 BTV500 - Max screen size: 47" - Max load: 88lbs - Mounting patterns: up to 200x200 - Distance from wall: 0.8"	 BT7523 - Max screen size: 47" - Max load: 55lbs - Mounting patterns: up to 200x200 - Tilt: +/-15°
Large	 BTV510 - Max screen size: 55" - Max load: 110lbs - Mounting patterns: up to 400x400 - Distance from wall: 0.8"	 BT5441 - Max screen size: 65" - Max load: 110lbs - Mounting patterns: up to 400x400mm - Distance from wall: 1.2"	 BT8441 - Max screen size: 65" - Max load: 176lbs - Mounting patterns: up to 400x400 - Distance from wall: 1.2"	 BT5431 - Max screen size: 65" - Max load: 110lbs - Mounting patterns: up to 400x400mm - Tilt: +15°
X-Large	 BTV520 - Max screen size: 65" - Max load: 154lbs - Mounting patterns: up to 800x500 - Distance from wall: 0.8"	 BT5442 - Max screen size: 80" - Max load: 154lbs - Mounting patterns: up to 600x400mm - Distance from wall: 1.2"	 BT8442 - Max screen size: 80" - Max load: 176lbs - Mounting patterns: up to 600x400 - Distance from wall: 1.2"	 BT5432 - Max screen size: 80" - Max load: 154lbs - Mounting patterns: up to 600x400mm - Tilt: +15°
XX-Large	 BT8443 - Max screen size: 75" - Max load: 77lbs - Mounting patterns: up to 650x400mm - Tilt: +10/-2° • Swivel: 28° - Distance from wall: 2.4" - 8.7"	 BT5227 - Max screen size: 75" - Max load: 99lbs - Mounting patterns: up to 600x400mm - Tilt: +12/-2° • Swivel: 180° - Distance from wall: 2.4" - 28.4"	 BT8237 - Max screen size: 75" - Max load: 176lbs - Mounting patterns: up to 600x400mm - Swivel: 120° - Distance from wall: 3" - 27.5"	 BT8227 - Max screen size: 75" - Max load: 110lbs - Mounting patterns: up to 600x400mm - Tilt: +14/-3° • Swivel: 180° - Distance from wall: 2.5" - 22.9"

Double Arm		Medical Mounts	Wall	
				
BT7513 - Max screen size: 28" - Max load: 22lbs - Mounting patterns: 50x50, 75x75 & 100x100 - Tilt: +17/-10° Swivel: 180° Screen rotation: 360° - Distance from wall: 1.6" - 18.4"		BT7592 - Max screen size: 28" - Max load: 7-11lbs - Mounting patterns: 75x75 & 100x100 - Tilt: +/-100 Swivel: 180° - Screen rotation: 360° - Extension: 65"	BT7593 - Max screen size: 28" - Max load: 11-18lbs - Mounting patterns: 75x75 & 100x100 - Tilt: +/-100 Swivel: 180° - Screen rotation: 360° - Extension: 65"	
Tilt & Swivel	Single Arm	Double Arm		
				
BT7519 - Max screen size: 47" - Max load: 66lbs - Mounting patterns: up to 200x200 - Tilt: +17°/-10° Swivel: 80°	BT7514 - Max screen size: 47" - Max load: 55lbs - Mounting patterns: up to 200x200 - Tilt: +/-40° Swivel: 180° - Distance from wall: 1.8" - 13.2"	BT7515 - Max screen size: 47" - Max load: 55lbs - Mounting patterns: up to 200x200 - Tilt: +/-40° Swivel: 180° - Distance from wall: 1.8" - 18.7"	BTV504 - Max screen size: 47" - Max load: 55lbs - Mounting patterns: up to 200x200 - Tilt: +/-15° Swivel: 180° - Screen rotation: 360° - Distance from wall: 3" - 15"	
Tilt	Double Arm		Adapters	
				
BT8431 - Max screen size: 65" - Max load: 110lbs - Mounting patterns: up to 400x400 - Tilt: +/-15°	BTV513 - Max screen size: 55" - Max load: 77lbs - Mounting patterns: up to 400x400 - Tilt: +10/-2° Swivel: 180° - Distance from wall: 1.6" - 17.7"		BT7542 Fits VESA patterns: 200x100 & 200x200	BT7540 Fits VESA patterns: 300x200 & 400x200
				BT7502 Fits VESA patterns: 200x100 & 200x200
				BT7565 Fits VESA patterns: 900x400 & 800x400
Tilt	Double Arm			
				
BT8432 - Max screen size: 80" - Max load: 154lbs - Mounting patterns: up to 600x400 - Tilt: +/-15°	BT5229 - Max screen size: 65" - Max load: 77lbs - Mounting patterns: up to 600x400mm - Tilt: +12°/-2° Swivel: 180° - Distance from wall: 2.1" - 19.5"		BT8229 - Max screen size: 65" - Max load: 77lbs - Mounting patterns: up to 600x400mm - Tilt: +14°/-3° Swivel: 180° - Distance from wall: 2" - 22.6"	
Fixed		Tilt	Double Arm	
				
BT9901 - Max screen size: 65" - 100" - Max load: 220lbs - Mounting patterns: up to 900x600 - Distance from wall: 1.2"		BT9910 - Max screen size: 65" - 100" - Max load: 285lbs - Mounting patterns: up to 1000x600 - Tilt: +15°	BT8228 - Max screen size: 65" - 120" - Max load: 275lbs - Mounting patterns: up to 800x600mm - Tilt: +15/-3° Swivel: 130° - Distance from wall: 3.5" - 24.75"	
				
BT9903 - Max screen size: 65" - 120" - Max load: 440lbs - Mounting patterns: up to 1000x600 - Distance from wall: 1.4"				

Additional Mounting Solutions Quick Reference Guide

Ceiling Mounts	Ceiling				
	Swivel		Adjustable Drop	Adjustable Drop	
					
	BT7553 ▪ Max screen size: 32" ▪ Max load: 50lbs ▪ Mounting patterns: 75x75 & 100x100 ▪ Tilt: +90°/-15° ▪ Swivel / Screen Rotation: 360°	BT8424 ▪ Max screen size: 65" ▪ Max load: 110lbs ▪ Mounting patterns: up to 600x400mm ▪ Tilt: +/-15°	BT8426 ▪ Max screen size: 65" ▪ Max load: 110lbs ▪ Mounting patterns: up to 600x400 ▪ Tilt: +/-15°	BT8427 ▪ Max screen size: 75" ▪ Max load: 154lbs ▪ Mounting patterns: up to 600x400 ▪ Tilt: up to +20°	
Desktop Mounts	Clamp & Grommet				
		Twin Screen	Triple Screen	Heavy Duty Widescreen	
					
	BT7351 ▪ Max screen size: 32" ▪ Max load: 20lbs per scree ▪ Mounting patterns: 75x75 & 100x100 ▪ Tilt: +60°/-60° ▪ Swivel: 360° ▪ Screen Rotation: 360°	BT7352 ▪ Max screen size: 32" ▪ Max load: 20lbs per screen ▪ Mounting patterns: 75x75 & 100x100 ▪ Tilt: +60°/-60° ▪ Swivel: 360° ▪ Screen Rotation: 360°	BT7353 ▪ Max screen size: 32" ▪ Max load: 20lbs per screen ▪ Mounting patterns: 75x75 & 100x100 ▪ Tilt: +/-60° ▪ Swivel: 360° ▪ Screen Rotation: 360°	BT7355 ▪ Max screen size: 49" ▪ Max load: 44lbs ▪ Mounting patterns: 75x75 and 100x100 ▪ Tilt: +5°/-55° ▪ Swivel: 360° ▪ Screen Rotation: 360°	
Video Bar Mounts	Video Bar Mounting Plates				
					
	BT7870 ▪ Max screen size: 100" ▪ Max load: 22lbs ▪ Mounting patterns: up to 800x400 ▪ Universal Screen Mount	BT7871 Mounting Plate for ▪ Jabra Panacast 50 ▪ Poly Studio / X50 / X52 / X70 ▪ Lenovo ThinkSmart Bar 180	BT7873 Mounting Plate for ▪ Logitech Rally Bars	BT7874 Mounting Plate for ▪ Dual Logitech Rally Plus Speakers ▪ Aver VB342PRO ▪ Cisco Webex Room Kit Plus	BT7875 Mounting Plate for ▪ Yealink UVC40 / A20 / MeetingEye 400, ▪ Logitech Meet Up ▪ Poly Studio X30
	Projector Mounts	Ceiling			
		Adjustable Drop		Adjustable Drop	
					
BT899 ▪ Max load: 55lbs ▪ Max fixing pattern: up to 14.5" ▪ Ceiling drop: 4.8"		BT899-AD ▪ Max load: 55lbs ▪ Max fixing pattern: up to 14.5" ▪ Ceiling drop: 29.25" - 45"	BT899-FD ▪ Max load: 55lbs ▪ Max fixing pattern: up to 14.5" ▪ Ceiling drop: 20"/40"/60"/80"/120"	BT899XL ▪ Max load: 55lbs ▪ Max fixing pattern: up to 19.5" ▪ Ceiling drop: 3.9"	BT899XL-AD ▪ Max load: 55lbs ▪ Max fixing pattern: up to 19.5" ▪ Ceiling drop: 28.7" - 44.4"

Ceiling		
Back-To-Back  BT8428 - Max screen size: 65" - Max load: 110lbs per screen - Mounting patterns: up to 600x400 - Tilt: +/-15°	XXL  BT8448 - Max screen size: 120" - Max load: 286lbs - Mounting patterns: up to 1000x600	XXL Tilt  BT8449 - Max screen size: 100" - Max load: 176lbs - Mounting patterns: up to 1000x600 - Tilt: up to +15°

Media Storage Mounts	Wall				
	Pull-Out AV Storage  BT7896 - Max screen size: 75" - Max screen weight: 154lbs - Mounting patterns: 200x200 up to 600x400 - Tilt: +10°/-2°	Slide-Out AV Storage  BT7883 - Max screen size: 46" - 75" - Max screen weight: 154lbs - Max equipment load: 22lbs - Mounting patterns: 200x200 up to 600x400	Pull-Down AV Storage  BT7885 - Max screen size: 49" - 86" - Max screen weight: 154lbs - Max equipment load: 18lbs - Mounting patterns: 200x200 up to 600x400	AV Storage  BT7889 - Max load: 22lbs - Max AV equipment size: 17.7" x 11"	Slide-Out AV Storage  BT7888 - Max load: 22lbs - Max AV equipment size: 17.7" x 9.8"

Video Bar Mounting Plates		
 BT7877 Mounting Plate for - Bose Videobar VB1 / VB-S - Logitech Rally Plus Speakers, - Neat.Bar / Neat.Bar Pro - Yealink MspeakerII	 BT7878 Mounting Plate for Yealink A30 / MeetingEye 600	 BT7879 Mounting Plate for - Biamp Parlé Video & Audio Conferencing Bars / Speakers - Levono ThinkSmart One

Speaker Mounts	Soundbar	Wall
	 BTV914 - Max load: 22lbs - Height adjustable: 9.85" - Lateral adjustable: 4.40" *Mounts to back of screen	Side Clamping  BT77 - Max load: 55lbs - Tilt: +/-10° - Swivel: 360° - Adjustable clamp width: 5.3" - 11"

Ceiling			
 BT899XL-FD - Max load: 55lbs - Max fixing pattern: up to 19.5" - Ceiling drop: 20"/40"/60"/80"/120"	 BT893 - Max load: 154lbs - Max fixing pattern: up to 31" - Ceiling drop: 6"	Adjustable Drop  BT893-AD - Max load: 154lbs - Max fixing pattern: up to 31" - Ceiling drop: 30.1" - 46.7"	 BT893-FD - Max load: 154lbs - Max fixing pattern: up to 31" - Ceiling drop: 20"/40"/60"/80"/120"

dvLED Videowall Mounting Solutions



Future Stores

London, Oxford Street
400sqm dvLED wall using System Xpert

Discover the Ultimate dvLED Mounting Solutions by B-Tech AV Mounts

Over the past decade B-Tech AV Mounts has continuously expanded and refined one of the most comprehensive and versatile dvLED mounting systems on the market. Our award-winning solutions are trusted globally across a wide range of projects, from compact installations to large-scale, high-profile AV set-ups. Whatever the size or scope, we have the perfect solution for you.

These three specialized ranges are tailored to meet diverse requirements, offering unparalleled flexibility and convenience.



System Xpert, the installers choice, is a premium range of dvLED mounting solutions trusted for its quality, ease of use, adjustability and fast installation. It meets every need, from simple small format wall mounts to extra-large, curved, odd shaped or even ceiling setups. Configurations can be generated using our online configuration tool. For more ambitious projects, our expert engineers can assist with bespoke specifications via email at technical@btechavmounts.com. The range includes detailed documentation, pre-assembled components and precision engineered Interface components for your specific application.



System Xpress revolutionises dvLED mounting supply with its innovative, universal design for latching cabinets. Featuring Patent Pending Xpress Connectors instead of screen-specific interface arms, this system offers unmatched versatility. The connectors click into your cabinets and lock effortlessly into supplied rails, enabling wall, floor, or ceiling installations with precision. Pre-configured in the most popular 16:9 layouts and stocked for immediate availability, System Xpress eliminates the need for custom fabrication, making it the fastest and easiest way to receive your dvLED mounting solution.



Our **System AIO** range provides dedicated mounting solutions for the most popular all-in-one dvLED displays on the market. Offering wall-mounted, floor-standing, and mobile options, **System AIO** supports leading brands such as **Absen**, **LG**, **Philips**, **Samsung** and **Sharp**, ensuring a perfect fit for your display requirements.

Making dvLED installation simple

To ensure the precise installation of dvLED cabinets, B-Tech provides a range of features in our dvLED solutions, including custom cut-to-size parts for every order. Our System X components are designed with level, depth, height, and angle adjustments, ensuring they meet diverse mounting requirements. These innovations make the installation of dvLED video walls straightforward, efficient, and highly adaptable to any set-up.



Depth and Height Adjustment Brackets
Precision alignment on uneven surfaces



Floor Base with Level Adjustment
Suitable for uneven floors



Retractable Floor Base
Allows easy access to the front of AV displays
Ideal for shop window displays



All dvLED Solutions include Cut to Size parts
No on-site cuts required



B-Tech's Service+ offers customers a fully integrated service tailored specifically for our System Xpert dvLED solutions.


Our team of in-house engineers delivers:

- Bespoke, installation-specific technical drawings.
- Pre-assembly of component parts for added convenience.
- Precision-cut rail lengths customised to your exact specifications - *a feature that sets us apart from competitor services.*

Best of all, this service is provided free of charge for System Xpert Solutions.



Pre-assembly of component parts




Installation specific technical drawings
with all required dimensions for a straight forward assembly

dvLED Mounting Solutions available for all major brands...

Abgen	Alhwa TECHNOLOGY	allsee	AOTO
BARCO	BAUER DIGITAL	BOE	CHKISTIE
DAKTRONICS	digiLED	DELTA	DIGITAL PROJECTION
Esdiumen by LianTronics	HandyLED™	HIKVISION	Hisense
INFILED	LANG	MAXHUB	Ledman
LEDstudio	LEYARD EUROPE	LG	LianTronics
Optoma	PHILIPS	PPS	PixelFLEX
OSTECH	SAMSUNG	SiliconCore7	PLANAR
SHARP/NEC	SONY	Unilumin	VESTEL

dvLED Videowall Mounting Solutions



SYSTEM
XPERT



SYSTEM
XPRESS



ALL-IN-ONE
DISPLAYS

Recommended Max configuration size	Unlimited	10x10	All-in-One
Production lead time (working days)	25 days	4-8 days	4-8 days
Universal compatibility	Designed and manufactured in accordance with the customer's cabinets	All 'latching' cabinets	Absen / LG / Samsung All-In-One displays
Function	Wall, Floor, Mobile, Bolt-Down, Ceiling Hung, Ceiling Flat, Curved, Bespoke	Wall, Floor, Mobile, Bolt-Down, Ceiling Hung	Wall, Floor, Mobile, Bolt-Down
Install time	Fast	Medium	Fast
Rear Mount	✓	✓	✗
Front Mount	✓	✗	✓
Micro-adjustment on wall plate	✓ Height & depth up to +/-0.4"	✓ Height & depth +/-0.2"	✓ Height & depth +/-0.4"
Height micro-adjustment on interface	✓ 0.8"	✗	✓ 0.8"
Depth adjustment	✓	✓	✓
Rails cut to size	✓	✓	✓
Pre-assembly with			
	✓	✗	✗
Technical drawings provided by			
	✓ Install specific drawings provided	✓ General installation guide with clear instructions provided for configurations outside of stocked packages ✓ Provided with stocked packages	✓ Provided with stocked packages
Indoor / Outdoor use	Indoor & Outdoor*	Indoor	Indoor

*Depending on application



Configure to your requirements using our online configurator, or contact technical@btechavmounts.com for more advanced set-ups.

Examples of configurations are shown below; all configurations are available.


BT9340

dvLED **Wall Mount**

for any configuration



Depth and Height Adjustment Brackets
Precision alignment on uneven surfaces




BT9342

dvLED **Ceiling Mount**

for any configuration



Depth and Height Adjustment Brackets
Precision alignment for ceiling mounted solutions




BT9344

dvLED **Floor-To-Ceiling Mount**

for any configuration



Depth and Height Adjustment Brackets
Precision alignment for ceiling mounted solutions




< > 🔍 www.btechavmounts.com/led-panel-configurator ☆ ☰



See online for more information about our online configurator.

BT9370

dvLED Videowall Stand
for any configuration



BT9371

dvLED Mobile Stand
for any configuration




BT9372

dvLED Bolt-Down Stand
for any configuration



Optional **Adjustable Floor Base**
with level adjustment for uneven floors



BT9377

dvLED Bolt-Down Stand with Retractable Base
for any configuration



Retractable Floor Bases
Ideal for close to window installs





Configure to your requirements using our online configurator, or contact technical@btechavmounts.com for more advanced set-ups.

Examples of configurations are shown below; all configurations are available.


BT9343

dvLED Curved Wall Mount

for any configuration



Depth and Height Adjustment Brackets
Precision alignment on uneven surfaces



BT9373

dvLED Curved Stand

for any configuration



Adjustable Levelling Feet
to allow for uneven floor surfaces




BT9375

dvLED Curved Bolt-Down Stand

for any configuration



Optional **Adjustable Floor Base**
with level adjustment for uneven floors



dvLED Curved mounts designed for Latching Curved Cabinets

< > 🔍 www.btechavmounts.com/led-panel-configurator ☆ ☰



See online for more information about our configurator.


BT9376

dvLED Curved Wave Bolt-Down Stand

for any configuration



Bolt-Down Floor Bases
with level adjustment for uneven floors



BT9350


Internal dvLED Corner Wall Mount

BT9351


External dvLED Corner Wall Mount

BT9352

Cube dvLED Videowall Mount



Depth and Height Adjustment Brackets
Precision alignment on uneven surfaces



BT9378

dvLED Motorized Height Adjustable Mobile Stand




Direct View LED Videowall Online Configuration Tool

Step 1: Go to www.btechavmounts.com




Step 2: Select Wall, Freestanding, Mobile or Bolt-Down



Configurations can be specified in just a few simple clicks. Start by choosing between wall or floor stand mounted options. Then, enter details about your screen size and the quantity to be installed, the orientation, the type and brand of dvLED panel to be used.

Once complete, fill out your contact details, and we'll get in touch and give you a quote for your requested configuration.

Floor Stands: Select **Mobile**, **Freestanding** or **Bolt-Down**



Freestanding

Mobile

Bolt-Down

For Wall, Freestanding, Mobile and Bolt-Down Mounting Solutions

For an in depth tutorial and explanation of System Xpert scan the QR code to view our online overview video.




Step 3: Select specifications from drop down boxes

LED Cabinets Per Row	please select ▼
Number of Rows of LED Cabinets	please select ▼
Cabinet Dimensions	please select ▼
Cabinet Weight	please select ▼
Cabinet Brand / Model Number	please select ▼
Cabinet Fixing Method	please select ▼



Step 4: Configure your LED Mounting Solution






B-Tech Model:
BT9340-3x2

Step 5:

Request a quote for this configuration

Alternatively: Contact B-Tech for Curved, Ceiling or Bespoke Solutions

To configure **curved**, **ceiling** or **bespoke** dvLED mounting solutions contact **technical@btechavmounts.com** stating your specifications to receive a quote within days.



System Xpress offers a versatile range of universal dvLED mounting kits, ready for express shipment from stock. These kits can be ordered as pre-packaged solutions in configurations such as 4x4, 5x5, 6x6, and 8x8 or for other sizes and shapes, quoted and shipped using off-the-shelf components under a unique Bill of Materials for your specific project

Designed to mount latching 27" dvLED cabinets (Min. width 23.6" - Max.24"), System Xpress features universal mounting connectors that eliminate the need for custom parts. This allows mounting solutions to be quoted, stocked, and shipped with speed and efficiency.

With same-day lead times for our ready-to-go kits and next day for everything else - that's what we call Xpress service!

For custom configurations, cabinets other than 27" and bespoke solutions, see page 26.

BTXPS27-W

Universal 27" dvLED Wall Mount

Available in 4 pre-configured kits

BTXPS27-W4X4	4x4	Dimensions*: W. 94.4"-96" x H. 54" x D. 2.3"
BTXPS27-W5X5	5x5	Dimensions*: W. 118"-120" x H. 67.3" x D. 2.3"
BTXPS27-W6X6	6x6	Dimensions*: W. 141.7"-144" x H. 80.7" x D. 2.3"
BTXPS27-W8X8	8x8	Dimensions*: W. 189"-192" x H. 107.8" x D. 2.3"



BTXPS27-S

Universal 27" dvLED Stand

Available in 4 pre-configured kits

BTXPS27-S4X4	4x4	Dimensions*: W. 94.4"-96" x H. 98.4" x D. 37.4"
BTXPS27-S5X5	5x5	Dimensions*: W. 118"-120" x H. 98.4" x D. 37.4"
BTXPS27-S6X6	6x6	Dimensions*: W. 141.7"-144" x H. 98.4" x D. 37.4"
BTXPS27-S8X8	8x8	Dimensions*: W. 189"-192" x H. 122" x D. 37.4"



BTXPS27-B


Universal 27" dvLED Bolt-Down Stand

Available in 4 pre-configured kits


BTXPS27-B4X4	4x4	Dimensions*: W. 94.4"-96" x H. 94.8" x D. 9.4"
BTXPS27-B5X5	5x5	Dimensions*: W. 118"-120" x H. 94.8" x D. 9.4"
BTXPS27-B6X6	6x6	Dimensions*: W. 141.7"-144" x H. 94.8" x D. 9.4"
BTXPS27-B8X8	8x8	Dimensions*: W. 189"-192" x H. 118.5" x D. 9.4"



System Xpress Features




'Click & Lock' (patent pending)
Interface Mounting Connector for a
simple and secure installation



Depth and Height
Adjustable Wall Plate



Bottom Row Spacer
for Level Installation



Designed for use
with dvLED Latching
Cabinets

BTXPS27-M

Universal 27" dvLED Mobile Stand



Available in 4 pre-configured kits

BTXPS27-M4X4	4x4	Dimensions*: W: 94.4"-96" x H: 103" x D: 37.4"
BTXPS27-M5X5	5x5	Dimensions*: W: 118"-120" x H: 103" x D: 37.4"
BTXPS27-M6X6	6x6	Dimensions*: W: 141.7"-144" x H: 103" x D: 37.4"
BTXPS27-M8X8	8x8	Dimensions*: W: 189"-192" x H: 126.7" x D: 37.4"



*Product dimensions are based on mounting 23.6"-24" x 13.4" cabinets.

ALSO AVAILABLE...

BT9240-SP

Height Adjustment Spacer for dvLED Videowall Rows



Re-usable spacers provide
quick & accurate spacing between
rails to help speed up installation

BTXPS-STK

Side Trim Kit for System Xpress dvLED Videowalls



Universal trim kit designed to cover
the sides of a dvLED mount. Suitable for
use on dvLED wall mounts and stands

For configurations beyond our off-the-shelf options, we offer custom **System Xpress** packages, recommended for up to 10x10 set-ups. For larger or more complex configurations, our System Xpert solutions have you covered.

Designed to support a wide range of latching dvLED cabinets of any size, System Xpress features universal mounting connectors that eliminate the need for custom parts. This allows mounting solutions to be quoted, stocked, and shipped with speed and efficiency.

For an in depth tutorial and explanation of System Xpress scan the QR code to view our online overview video.

Examples of configurations are shown below; all configurations up to 10x10 are available under System Xpress.



BT9240

Universal dvLED Wall Mount
for any configuration



BT9270

Universal dvLED Stand
for any configuration



Adjustable Leveling Feet
to allow for uneven floor surfaces



BT9271


Universal dvLED Mobile Stand
for any configuration




4" Non-marking Braked Casters
for easy repositioning of the videowall



System Xpress Features




'Click & Lock' (patent pending)
Interface Mounting Connector for a
simple and secure installation



Depth and Height
Adjustable Wall Plate



Bottom Row Spacer
for Level Installation



Designed for use
with dvLED Locking
Cabinets

BT9272

Universal dvLED **Bolt-Down Stand**
for any configuration



**ALSO
AVAILABLE...**

BT9282

Universal dvLED
Bolt-Down Stand with Adjustable Base
for any configuration
Level adjustment suitable for uneven floors



BT9242

Universal dvLED **Ceiling Mount**
for any configuration



BT9244

Universal dvLED **Floor-to-Ceiling Mount**
for any configuration



Screen Specific Mounting Solutions For All-In-One LED Displays

Mounting solutions available for all major brands of All-in-One displays

All stands feature the same high-end aesthetic, anodized aluminum finish & integrated cable management, which ensures a smart & stylish installation.

Absen


Mounting solutions designed specifically for **Absen's iCon series** All-In-One LED Screens. The range consists of wall mounted, freestanding, mobile & bolt down versions.



Scan the QR code to view our exclusive to Absen Brochure.



Wall Mounted, Freestanding, Mobile and Bolt-Down solutions available for All-in-One displays




Wall Mounted



Freestanding



Mobile



Bolt-Down

LG

Designs specifically for **LG's LAEC015 136", LAEC018 163" & LAED015 171"** All-In-One LED Screens. The range consists of freestanding, mobile & bolt down versions.



Scan the QR code to view our exclusive to LG Brochure.



SAMSUNG

Designs specifically for **Samsung's The Wall IAB110", IAC130" & IAB146"** All-In-One LED Screens. The range consists features freestanding and bolt down stands.



Scan the QR code to view our exclusive to Samsung Brochure.



SHARP / NEC

Designs specifically for **SHARP/NEC FEO12 110", FEO15 137" & FEO16 165"** All-In-One LED Screens. The range consists features freestanding, mobile and bolt down stands.




PHILIPS

Stands designed specifically for **Philips Unite LED AIO 5000 & 7000 Series**. The range consists of wall mounted, freestanding, mobile and bolt down stands.






BT1000
Floor Stand
for All-In-One Displays



BT1001
Mobile Stand
for All-In-One Displays



BT1000 All-In-One Stands

Model Number	Brand	Brand Reference	Screen Size
BT1000-ABSX108	Absen	Icon X	108"
BT1000-ABSX136	Absen	Icon X	136"
BT1000-ABSX163	Absen	Icon X	163"
BT1000-NEC110	Sharp	LED-FE012	110"
BT1000-NEC137	Sharp	LED-FE015	137"
BT1000-LGLAEC136	LG	LAEC015	136"
BT1000-LGLAEC163	LG	LAEC018	163"
BT1000-PPDS110	Philips	7000 Unite	110"
BT1000-PPDS135	Philips	5000 Unite	135"
BT1000-SAM110	Samsung	IAB	110"
BT1000-SAM130	Samsung	IAC	130"
BT1000-SAM146	Samsung	IAB	146"

BT1001 All-In-One Mobile Stands

Model Number	Brand	Brand Reference	Screen Size
BT1001-ABSX108	Absen	Icon X	108"
BT1001-ABSX136	Absen	Icon X	136"
BT1001-ABSX163	Absen	Icon X	163"
BT1001-NEC110	Sharp	LED-FE012	110"
BT1001-NEC137	Sharp	LED-FE015	137"
BT1001-LGLAEC136	LG	LAEC015	136"
BT1001-LGLAEC163	LG	LAEC018	163"
BT1001-PPDS110	Philips	7000 Unite	110"
BT1001-PPDS135	Philips	5000 Unite	135"
BT1001-SAM110	Samsung	IAB	110"
BT1001-SAM130	Samsung	IAC	130"
BT1001-SAM146	Samsung	IAB	146"

SYSTEM X

Menu Board Mounts



B-Tech is the go-to multi-screen mounting systems provider, favored by installers worldwide, thanks to a large selection of solutions that cover almost any requirement.

Our modular mounting system for single rail menu board installations is suitable for screens of any size and can be configured for specific requirements using our **System X** component range. Mount multiple screens side-by-side with wall, ceiling, floor & curved solutions available.

Screens can be mounted in landscape or portrait orientation with interface options that include fixed, tilt, or pop-out arms with micro-adjustment. This allows for precise alignment and a 'hassle-free' installation, perfect for fast-food restaurants, transport hubs, entertainment venues, etc. Back-to-back, floor-to-ceiling and floor-to-wall options are also available using components from our **System 2** range.

For full product specifications, including technical drawings, scan the QR codes to view the online product page.



Use our online configuration to specify your requirements.
See page 36 for further details.

Key Features

- Configurable solution available to order to your requirements from stock products
- Choice of fixed, tilt, micro-adjustment or pop-out interface arms
- Multiple rail & pole lengths available - can be cut or joined to any length
- Micro-adjustment arms allow tool-less adjustments for seamless display alignment
- Full-service options available - Pop-Out arms for easy service access or recess mounting
- Suitable for landscape or portrait mounting
- Lateral shift available for post-installation screen alignment
- Curved options available
- Safety screws help prevent unauthorized removal of screens
- Simple installation with all mounting hardware included

Single rail multi-screen installations.
Available as wall or ceiling mounts.
From stock and are ready to customize.
(configurations shown in images
for reference only)

Choice Of Interface Arms



Choice of Fixed, Tilt or
Micro-Adjustment
Interface Arms available.

Rail Extension



Rails can be extended to any length.
Customize rails to match the
number of screens mounted.

Choice of Ceiling Drops



Multiple pole lengths available
for ceiling mounting.


BT8330 Menu Board Mounting System



Example X3 Screen
Configuration

Recommended Max Screen	Max Load	Max VESA	
75" ↗ ↙	110lbs per screen	900	

BT8331 Pop-Out Menu Board Mounting System



Recommended Max Screen	Max Load	Max VESA	
75" ↗ ↙	110lbs per screen	900	

BT8332 Ceiling Mounted Menu Board Mounting System



Recommended Max Screen	Max Load	Max VESA	
75" ↗ ↙	110lbs per screen	900	

BT8333 Ceiling Mounted Curved Menu Board Mounting System




Recommended Max Screen	Max Load	Max VESA	
75" ↗ ↙	110lbs per screen	900	

Max VESA Refers to maximum vertical fixing dimension. Correctly sized interface arms
and adapters will be supplied as necessary to suit the mounting pattern you require.

SYSTEM X

Videowall Mounts



B-Tech is the go-to multi-screen mounting systems provider, favored by installers worldwide, thanks to a large selection of solutions that cover almost any requirement.

Our modular mounting system for multi-rail video wall installations are suitable for screens of any size and can be configured for specific requirements using our **System X** component range. Mount multiple screens side-by-side with wall, ceiling, floor and curved solutions available. There are various installation options for videowall stands include freestanding, mobile or bolt-down bases. Screens can be mounted in landscape or portrait orientation with interface arm options featuring micro-adjustment and wall mounted pop-out solutions, allowing for a precise alignment and a 'hassle-free' installation; perfect for retail environments, transport hubs, entertainment venues etc. Back-to-back, floor-to-ceiling and floor-to-wall options are also available using components from our **System 2** range.

For full product specifications including technical drawings scan the QR code for each product to view the online page.




Use our online configuration to specify your requirements.
See page 36 for further details.

Key Features

- Configurable solution available to order to your requirements from stock products
- Choice of fixed, tilt, micro-adjustment or pop-out interface arms
- Multiple rail & pole lengths available - can be cut or joined to any length
- Micro-adjustment arms allow tool-less adjustments for seamless display alignment
- Full-service options available - Pop-Out arms for easy full service access or recess mounting
- Suitable for landscape or portrait mounting
- Lateral shift available for post-installation screen alignment
- Curved options available
- Safety screws help prevent unauthorized removal of screens
- Simple installation with all mounting hardware included

Multi screen, multi-rail installations.
Available as wall or ceiling mounts.
Customize or choose off-the-shelf kits
*(configurations shown in images
for reference only).*

Pop-Out Arms for Service Access



Pop-out interface arms available
for full service access included as
standard with BT8331 & BT8341

Choice of Ceiling Drops



Multiple pole lengths available
for ceiling mounting.


Adjustable Angle for Curved Displays



Integrated angle connector
creates curved stands up to $\pm 45^\circ$

BT8340 Videowall Mounting System

Recommended Max Screen	Max Load	Max VESA	
75" ↗ ↙	110lbs per screen	900	



Example 3X3 Screen
Configuration

BT8341 Pop-Out Videowall Mounting System

Recommended Max Screen	Max Load	Max VESA	
75" ↗ ↙	110lbs per screen	900	




BT8342 Ceiling Mounted Videowall Mounting System

Recommended Max Screen	Max Load	Max VESA	
75" ↗ ↙	110lbs per screen	900	




BT8343 Ceiling Mounted Curved Videowall Mounting System

Recommended Max Screen	Max Load	Max VESA	
75" ↗ ↙	110lbs per screen	900	




Choice of Fixed, Tilt, or Micro-Adjustment interface arms, dependent on the type of installation required. Rails & poles can be cut & joined to create any length required.



Multi-screen installations available as wall, floor or ceiling mounts from stock & ready to customize. (configurations shown in images for reference only)

Custom Set-Ups



Use our online configuration to specify your requirements.




Micro-Adjustment



Tool-less micro-adjustments on interface arms for seamless screen alignment.

Retractable Base



Ideal for shop fronts, close-to-the-window installations.

BT8370 Videowall Stand

Recommended Max Screen	Max Load	Max VESA	
75" ↗	110lbs per screen	900	

Example 2X2 Screen Configuration



BT8371 Mobile Videowall Stand

Recommended Max Screen	Max Load	Max VESA	
75" ↗	110lbs per screen	900	



BT8372 Bolt-Down Videowall Stand

Recommended Max Screen	Max Load	Max VESA	
75" ↗	110lbs per screen	900	



BT8377 Bolt-Down Retractable Base Videowall Stand

Recommended Max Screen	Max Load	Max VESA	
75" ↗	110lbs per screen	900	





Multi-screen curved installations available as floor or ceiling mounts. Customize or choose off-the-shelf kits.

Adjustable Angle for Curved Displays




Integrated angle connector creates curved stands up to $\pm 45^\circ$

Cable Management



Integrated cable management featured for a tidy installation. Included on all System X stands.

AV Accessory Component Shelves



Fit AV accessories such as shelves directly to columns.

BT8373

Curved Videowall Stand



Example 2X5 Screen Configuration

Recommended Max Screen	Max Load	Max VESA	
75" ↗ ↙	110lbs per screen	900	

BT8374


Mobile Curved Videowall Stand



Recommended Max Screen	Max Load	Max VESA	
75" ↗ ↙	110lbs per screen	900	

BT8375

Bolt-Down Curved Videowall Stand



Recommended Max Screen	Max Load	Max VESA	
75" ↗ ↙	110lbs per screen	900	

BT8376

Freestanding Curved Videowall Stand






Recommended Max Screen	Max Load	Max VESA	
75" ↗ ↙	110lbs per screen	900	

Menu Board & Videowall Online Configuration Tool

Step 1: Go to www.btechavmounts.com



Step 2: Select Wall, Ceiling or Floor Mounted



Configurations can be specified in just a few simple clicks. Start by choosing between wall or pole mounted options. Then, enter details about your screen size & the quantity to be installed, the orientation, the type of interface arm function such as tilt, fixed or micro-adjustment & pole length if required.

Once complete, fill out your contact details, & we'll get in touch & give you a quote for your requested configuration.


Floor Stands: Select Mobile, Freestanding or Bolt-Down



Freestanding



Mobile



Bolt-Down

Step 3: Select specifications from drop down boxes

Screen Size	please select	▼
Screens Per Row	please select	▼
Column Height	please select	▼
Interface Function	please select	▼
Number Of Rows	please select	▼
Column Color	please select	▼



Fixed



Tilt




Micro
Adjustment



Pop-Out



For Wall, Ceiling & Floor Mounting Solutions

Step 4: Select Additional Options: Curved installation




Add option for a curved display

Step 5: Select desired orientation (Landscape, Portrait)



Step 6: Configure your mounting solution




B-Tech Model:
BT8340-WI4x2-42-F

Step 7:

Request a quote for this configuration

System X Videowall mounting solutions

Available in 1,000s
of configurations
including **Fixed**,
Tilt or **Pop-Out**




3x3



1x3




3x2




2x2



2x1



6x4



6x4

Modular Videowall Mounts



Designed to make videowall installations as quick and straightforward as possible, these modular mounting solutions (one mount per screen) can create unlimited configurations in landscape and portrait formats.


The push-in, pop-out opening enables access to the rear of the mounted screen for servicing and maintenance and the BT8312 features a patented soft opening mechanism for ultimate screen care. The low-profile designs are ideal for multi-screen installations and mounting into walls with a shallow recess. Micro-adjustment knobs make screen alignment quick and simple with keyholes added for easy wall mounting.

For full product specifications, including technical drawings, scan the QR code for each product to view the online page.

Key Features

- Modular mounts allow videowall assembly in an unlimited number of configurations
- Suitable for landscape or portrait screen mounting
- Pop-out systems provide easy service access
- Tool-less micro-adjustment for seamless display alignment
- Depth, height & lateral adjustments of the screen
- Slim designs ideal for low-profile installs on walls or mounting in shallow recesses
- Keyhole mounting for quick & easy installation
- Suitable for pole mounting using System 2 collars
- Integrated locking mechanism prevents accidental pop-out of mount
- Safety screws help prevent unauthorized removal of screens
- Screen-specific spacer kits are available for the BT8312 to speed up installation times

One Mount Per Screen




Quick to install and easy to configure, designed specifically for videowall applications.

Unlimited Configurations




Our modular mounting system allows videowall assembly in an unlimited number of landscape or portrait configurations, from simple 2x2 videowalls to complex mosaic patterns.

Full Service Access



Pop-out systems provides safe and easy service access. Suitable for recess mounting.

Micro-Adjustment




8 points of micro-adjustment for depth, height and lateral screen adjustment.

BT8312

Slimline Soft-Open Full Service Videowall Mount
with 8-Point Micro-Adjustment

Also Available...



Wall Plate Spacer Kits
aid speedy installations

Recommended Max Screen	Max Load	Max VESA	
75" ↗ ↙	110lbs	600 x 400	



Patent N°: US 11,841,111B2

BT8310XL

Heavy-Duty Pop-Out Wall Mount
with Micro-Adjustment

Recommended Max Screen	Max Load	Max VESA	
120" ↗ ↙	275lbs	600 x 400	




BT8309

Pop-Out Wall Mount
with Micro-Adjustment

Recommended Max Screen	Max Load	Max VESA	
42" ↗ ↙	55lbs	200	




Specialist Mounts & Digital Signage Solutions



With more screens featuring in retail environments than ever before, the need for a comprehensive range of specialist mounting solutions is apparent.

In addition to videowalls, single screens (ranging from small to XXL) & specialist signage such as LG's XXL 110" displays, 21:9 Ultrawide screens are being installed into retail outlets, conference rooms etc. Our range of specialist mounting solutions includes various options catering to the applications often required: portrait mounts, pop-out options for recess mounting, rotational mounts for eye-catching displays and screen enclosures can also be customized to meet the installation requirements.

For complete product specifications, including technical drawings scan the QR code for each product to view the online page.



Wall mounts designed for XXL displays such as LG's 110UM5J.


BT9920 Display Wall Mount for XXL Displays



Ideal for LG's 110" 110UM5J-B

Recommended Max Screen	Max Load	Max VESA	QR Code
120" ↗ ↙	440lbs	1600 x 800	


BT9921 Soft-Open Full Service Wall Mount for XXL Displays



Ideal for LG's 110" 110UM5J-B

Recommended Max Screen	Max Load	Max VESA	QR Code
120" ↗ ↙	176lbs	1600 x 800	


Rotates and fixes to any angle between 0° & 90°



Angle guides help set the rotation of the screen.

BT7550 Rotational Flip Mount for Large Screens

Allows mounted screens to rotate from landscape to portrait orientation or vice-versa



Recommended Max Screen	Max Load	Max VESA	Tilt	Rotation	
65" ↗ ↙	154lbs	400	4.5°	360°	

Portrait Wall Mounts



BT8322 Portrait Digital Signage Wall Mount

Recommended Max Screen	Max Load	Max VESA	
65" ↗ ↙	176lbs	400 x 600	



BT9925 Soft-Open Full Service Portrait Wall Mount for XXL Displays

Ideal for LG's 110" 110UM5J-B

Recommended Max Screen	Max Load	Max VESA	
120" ↗ ↙	220lbs	600 x 1500	



Digital Signage Stands

ALSO AVAILABLE...

BT7901 Screen Enclosures

Available for screen sizes: 43-50", 55" & 65"



Add BT7901 to any compatible mount/stand

BT8587 Bolt-Down Column Mounted Digital Signage Stand with Retractable Base

Recommended Max Screen	Max Load	Max VESA	
86" ↗ ↙	154lbs	600 x 800	



Retractable base provides easy access for shop fronts displays.





B-Tech has a wide range of mounting solutions available for E-Paper signage, designed to be discreet, secure and easy to install, these mounts are ideal for retail, wayfinding and other public spaces. Dedicated solutions for the Samsung 32" E-Paper EMDX signage mounts are also available and include rear covers with options for a wall, floor or ceiling installation.


BT7611

Universal E-Paper Wall Mount
with Tilt



BT7612

Universal E-Paper Floor Stand
with Tilt



BT7613

Back-To-Back Universal E-Paper Floor Stand
with Tilt



Recommended Max Screen	Max Load	Max VESA	Tilt	
43" ↗	22lbs	200	10° ↗ 10° ↘	

Recommended Max Screen	Max Load	Max VESA	Tilt	
43" ↗	22lbs	200	35° ↗ 35° ↘	

Recommended Max Screen	Max Load	Max VESA	Tilt	
43" ↗	22lbs (per screen)	200	20° ↗ 20° ↘	

BT7611-SAM32

E-Paper Wall Mount
with Tilt & Rear Cover
for **SAMSUNG**
EMDX 32" E-Paper



BT7612-SAM32

E-Paper Floor Stand
with Tilt & Rear Cover
for **SAMSUNG**
EMDX 32" E-Paper



BT7613-SAM32

Back-To-Back E-Paper Floor Stand
with Tilt & Rear Cover
for **SAMSUNG**
EMDX 32" E-Paper



Recommended Max Screen	Max Load	Max VESA	Tilt	
32" ↗	22lbs	200	10° ↗ 10° ↘	

Recommended Max Screen	Max Load	Max VESA	Tilt	
32" ↗	22lbs	200	15° ↗ 15° ↘	

Recommended Max Screen	Max Load	Max VESA	Tilt	
32" ↗	22lbs (per screen)	200	15° ↗ 15° ↘	



Kiosks designed for mounting the following outdoor displays:
Samsung OH55A 55" | OH55DX 55" | **LG** 55XE4F 55"

BT7171
Outdoor Portrait Kiosk



BT7171-SAM-OH55A	Samsung OH55A	55"
BT7171-SAM-OH55DX	Samsung OH55DX	55"
BT7171-LG-55XE4F	LG 55XE4F	55"

Recommended Max Screen

55"

Max Load

110lbs

BT7172
Outdoor Portrait Kiosk
for Twin Screens



BT7172-SAM-OH55A	Samsung OH55A	55"
BT7172-SAM-OH55DX	Samsung OH55DX	55"
BT7172-LG-55XE4F	LG 55XE4F	55"

Recommended Max Screen

55"

Max Load

110lbs

BT7173
Outdoor Portrait Kiosk
for Triple Screens



BT7173-SAM-OH55A	Samsung OH55A	55"
BT7173-SAM-OH55DX	Samsung OH55DX	55"
BT7173-LG-55XE4F	LG 55XE4F	55"

Recommended Max Screen

55"

Max Load

110lbs



BT7140
Outdoor Portrait Wall Mount

Recommended Max Screen

75"

Max Load

110lbs

Tilt

8°

BT7140-SAM-OH46	Samsung OH46	46"
BT7140-SAM-OH55	Samsung OH55	55"
BT7140-SAM-OH75	Samsung OH75	75"
BT7140-LG-XE49	LG 49XE4F	49"
BT7140-LG-XE55	LG 55XE4F	55"



Flat Screen Wall Mounts



B-Tech's comprehensive collection of professional wall and ceiling screen mounts cover fixed, tilt and full motion solutions for screens ranging from 10" to 120".

Many features can be found on products throughout the range, including designs for making installation as straight forward as possible with keyhole fixings and On Wall Leveling available on selected mounts. Additionally, many of the wall mounts are compatible with the B-Tech's System 2 and System X modular ranges using accessory collars, which allow them to be used for pole/column mounted applications.

Note, max screen sizes are recommendations only and it may be possible to mount other sizes, please refer to the screen's weight and mounting pattern to find the best compatible mount.

For the full range of flat screen mounts with full product specifications including technical drawings, scan the QR codes to view the online pages.


Key Features

- Designed for an easy 1-2-3 step installation
- Mounts supplied pre-assembled
- Simple 'hook-on' screen mounting
- All mounting hardware included
- Suitable for landscape or portrait mounting
- Universal mounts feature lateral adjustment of the screen once mounted
- Brackets utilise various security features to prevent easy removal of the screen with safety screws or locking bar included
- Cover plates & cable management are included with swing arm mounts



The VESA® Standard mounting patterns are the distance (in millimeters) between the four mounting holes on the back of a screen and are used by most TV brands.


Compatibility with B-Tech Component Ranges



Many of the wall mounts featured in this catalog are compatible with System 2 accessory collars for pole mounting or can be fitted directly onto System X columns.



Utilize Accessory Collars for pole-mounting compatible screen mounts.



The recommended screen size encompasses the maximum dimensions suitable for each mounting bracket.

View the online specification sheets for recommended minimum screen sizes.

BT7513

Wall Mount with Double Arm



Recommended Max Screen	Max Load	Max VESA	Tilt	Swivel	Rotation	
28" ↗ ↙	22lbs	100	10° 15°	180°	360°	

BT5441

Fixed Wall Mount

elements • fixed 400



Recommended Max Screen	Max Load	Max VESA	
65" ↗ ↙	110lbs	400	

BT8432

Wall Mount with Tilt



Recommended Max Screen	Max Load Wall	Max Load Pole	Max VESA	Tilt	
80" ↗ ↙	154lbs	110lbs	600 x 400	15° 15°	

BT8229

Double Arm Wall Mount
with Tilt & Swivel

vantage • extra



Recommended Max Screen	Max Load	Max VESA	Tilt	Swivel	
65" ↗ ↙	77lbs	600 x 400	3° 14°	180°	

BT8228

Twin Cantilever Arm Wall Mount
with Tilt & Swivel

vantage • max



Recommended Max Screen	Max Load	Max VESA	Tilt	Swivel	
120" ↗ ↙	275lbs	800 x 600	3° 15°	130°	

BT9910

Heavy-Duty Fixed Wall Mount
for XL Screens



Recommended Max Screen	Max Load Wall	Max Load Pole	Max VESA	
120" ↗ ↙	440lbs	286lbs	1000 x 600	

Flat Screen Ceiling Mounts



B-Tech has a wide range of screen ceiling mounting kits available for small to XXL screens.

With options for fixed or tool-less adjustable drops, installations onto flat or angled ceilings, and landscape & portrait mounting, B-Tech offer a vast array of ceiling mounting solutions; additional options are also available by using System 2 parts to create custom solutions. These include joiners to extend pole lengths & specialist mounts for fixing joists, purlins, I-beams, etc.

See [page 66](#) for information about creating custom mounting solutions. For full specifications, scan the QR code to visit the online product page.

Key Features

- Mounts are available with either a fixed drop or with a tool-less adjustment of the drop
- Unique 'Torsion-tilt' mechanism for tilt adjustment on a selection of mounts
- Suitable for landscape or portrait mounting
- Lateral adjustment of the screen once mounted
- Arms feature adjustment screws to help level the screen height
- Security screws help prevent unauthorized removal of screens
- Integrated cable management
- Cover plate included for a smart installation
- Simple 'hook-on' installation with all mounting hardware included
- For more custom installations, see our System 2 range of components on [page 68](#)




Adjustable Ceiling Drop



Tool-Less height adjustment in 1" increments.

Fixed Ceiling Drops



Available with a choice of ceiling drops: 20", 40", 60", 80" & 120"

BT7553 Ceiling Mount with Tilt & Swivel

Available in 4 pole lengths

BT7553-050	20" Pole
BT7553-100	40" Pole
BT7553-150	60" Pole
BT7553-200	80" Pole



Can also be installed as a bolt-down desk mount

Recommended Max Screen	Max Load	Max VESA	Tilt	Swivel	Rotation	QR Code
28" ↗ ↘	50lbs	100	15° 90°	360°	360°	



BT8426 Adjustable Drop Ceiling Mount with Tilt

Recommended Max Screen	Max Load	Max VESA	Tilt	QR Code
65" ↗ ↘	110lbs	600 x 400	15° 15°	



BT8428 Back-To-Back Ceiling Mount with Tilt

Available in 4 pole lengths

BT8428-100	40" Pole
BT8428-150	60" Pole
BT8428-200	80" Pole
BT8428-300	120" Pole

Recommended Max Screen	Max Load	Max VESA	Tilt	QR Code
65" ↗ ↘	110lbs per screen	600 x 400	15° 15°	



BT8449 XL Display Ceiling Mount with Tilt

Available in 4 pole lengths

BT8449-100	40" Pole
BT8449-150	60" Pole
BT8449-200	80" Pole
BT8449-300	120" Pole

Recommended Max Screen	Max Load	Max VESA	Tilt	QR Code
100" ↗ ↘	176lbs	1000 x 600	15°	



Floor Stands & Mobile Solutions



Our durable and stylish carts and floor stands cater to diverse markets needing flexible display options. The range features options for mounting all display sizes, including heavy-duty interactive touchscreens, in landscape and portrait orientations.

Additionally, we offer a comprehensive range of freestanding floor stands, starting from low-profile bases to standard kits with Ø2" poles and more stylish options with aluminum columns. These kits can be customized to fit your installation requirements. For heavier-duty needs, our System X range of components supports multiple screens.

Scan the QR codes to explore the complete range with detailed product specifications and technical drawings online.

Key Features

- Universal designs suitable for displaying screens in a landscape or portrait orientation
- Non-marking locking / braked casters included with mobile display carts
- Collar compatible accessories such as shelves (available separately) can be fitted to the column or pole
- Integrated cable management for a smart installation
- Interface arms include adjustment screws to help level the height of the screen
- Safety screws help prevent unauthorized removal of screen
- Simple 'hook-on' screen installation with all mounting hardware included



Single and twin pole options available. Mount accessories using an B-Tech accessory collar



Single and twin column options available. Accessorize with component shelves - See page 56

ALSO AVAILABLE...

BT7901 Screen Enclosures

Available for screen sizes: 43"-50", 55" & 65"



Add BT7901 to any compatible mount/stand

BT8572 Large Flat Screen Single Pole Floor Stand

Recommended Max Screen	Max Load	Max VESA	
55" ↗ ↙	88lbs	600 x 400	



BT8583 Large Flat Screen Twin Column Floor Stand

Recommended Max Screen	Max Load	Max VESA	
75" ↗ ↙	154lbs	600 x 400	



BTF840 Flat Screen Floor Stand

Recommended Max Screen	Max Load	Max VESA	
75" ↗ ↙	154lbs	600 x 400	



BT7004 Bolt-Down Digital Signage Mount with Screen Enclosure

Available in 3 screen sizes

BT7004-4350 43" - 50" Screens

BT7004-55 55" Screens

BT7004-65 65" Screens

Recommended Max Screen	Max Load	Max VESA	
65" ↗ ↙	110lbs	600 x 400	





Suitable for landscape
& portrait mounting.
Accessorize with AV shelves.



Use BT7841 Accessory Collars
(not included) to retro-fit
shelves onto existing
installations.



Flip display mounts easily
rotates 55" and 65" screens
from portrait to landscape
and vice-versa

BT7504 Flat Screen Cart

Recommended Max Screen	Max Load	Max VESA	
55" ↗ ↙	55lbs	200	

momentum • one



BT8562 Designer Flat Screen Cart

Recommended Max Screen	Max Load	Max VESA	
75" ↗ ↙	154lbs	600 x 400	



BT8564 Designer Flat Screen Cart for XL Screens

Recommended Max Screen	Max Load	Max VESA	
120" ↗ ↙	286lbs	1000 x 600	



BT8547 Flat Screen Cart with Flip Screen Rotation Ideal for use with

momentum • flip

Recommended Max Screen	Max Load	Max VESA	Tilt	Rotation	
65" ↗ ↙	110lbs	400	4.5°	90°	






The Momentum range of carts are ideal for mounting large interactive displays



Use a BT7870 Universal Mount (see page 57) to add a Video Bar to the BT8545 / BT8546

Also Available...

BT8559
Motorized Height Adjustable Flat Screen Floor-To-Wall Stand



BT8545
Flat Screen Cart
for XL Screens



Recommended Max Screen	Max Load	Max VESA	
86"	220lbs	800 x 600	

momentum • edge



BT8546
Flat Screen Cart
for XXL Screens



Ideal for mounting XXL interactive and touchscreen displays

Recommended Max Screen	Max Load	Max VESA	
110"	275lbs	1000 x 800	

momentum • edge XL



BT8558
Motorized Height Adjustable Flat Screen Cart



Recommended Max Screen	Max Load	Max VESA	
100"	220lbs	900 x 600	

FC CE

momentum • e-lift



UC / VC Twin Screen Mounting Solutions



Ideal for video conferencing installations, a comprehensive range of mounting solutions are available from B-Tech, including wall mounts, floor stands and mobile carts with designs covering a range of screen sizes from 46" to 86". A wide selection of AV accessories to hold media equipment, video bars, VC cameras etc. can easily be added to the displays.

All twin screen solutions are supplied with a VC camera shelf and can be further customized with various VC and media devices such as video bars, speakers etc. Additional mounting accessories and shelves can be ordered individually to suit your installation requirements.

For detailed product specifications, technical drawings and scan the QR code for each product to access the online page. Refer to the Quick Reference guides starting on *page 6* for more products

Also Available...

BT7884
Flip Down
Storage Tray

See the
Component Ranges
on how to customize
installations and
add accessories
to the stands.

BT8700

BT8710 Floor-To-Wall Twin Screen VC Stand

Recommended Max Screen	Max Load	Max VESA	
65" ↗ ↙	154lbs per screen	600 x 400	



BT8700 & BT8710 are part of the Mode-AL range of premium display stands. Available as complete kits - see *page 8*, or individual components - see *page 70* for the Mode-AL Mounting Guide.




All VC mounts supplied with a shelf and mounting arm for installing cameras above or below the screens.



Use a B-Tech mounting plate to fit video bars direct to columns. See page 57 for more information.

Also Available...

BT8557
Motorized Height Adjustable Twin Screen VC Floor-To-Wall Stand



BTF845

Twin Screen VC Stand
for screens up to 55"

Recommended Max Screen	Max Load	Max VESA	
55"	55lbs per screen	600 x 400	



BT8517

Twin Screen VC Cart
for screens up to 75"

Recommended Max Screen	Max Load	Max VESA	
75"	220lbs per screen	600 x 400	



BT8538

Twin Screen VC Bolt-Down Stand
for screens up to 86"

Recommended Max Screen	Max Load	Max VESA	
86"	220lbs per screen	600 x 400	



BT8416

Twin Screen VC Wall Mount
for screens up to 65"

Recommended Max Screen	Max Load	Max VESA	
65"	154lbs per screen	600 x 400	



Media Storage Solutions & AV Accessory Mounts



Media Storage trays are an ideal solution for discreet mounting of AV equipment, such as power supplies, media players and video conferencing equipment behind a screen.

Media storage trays are available as a combined screen mount or as separate mounts that can be wall, rail or pole mounted by the side or underneath the screen mount. AV equipment is easily fitted to the removable storage tray using the supplied cable ties for cable management.

Off-the-shelf mounts & bespoke adapters are available for mounting a wide range of UC Equipment, such as Video Bars, Soundbars, Video Conferencing Cameras, etc. B-Tech's range of AV component shelves are a convenient way to mount media equipment onto an installation. The shelves' versatile mounting options mean most can be mounted directly to the wall or onto B-Tech columns or poles (using accessory collars). The shelves can also be mounted above or below the screen using adjustable mounting arm.



Key Features

- Designed to hold & hide AV accessories such as media equipment, power supplies, routers and other video conferencing equipment behind a screen
- Options for slide-out, pull-down trays for easy access to media equipment
- Tool-less operation of tray movement
- All accessories can be accessed, removed or added when in the open position without screen removal
- Quick release function of tray so equipment can be easily removed from tray & serviced
- Replacement trays available to order separately
- Compatible with B-Tech's System X & Mode-AL columns & collars for pole mounted installations

Storage Trays can be quickly released from the BT7896, BT7883 & BT7885 and changed over with pre-loaded AV equipment.

Also Available...


BT7896-TRAY AV Storage Tray



BT7883-TRAY AV Storage Tray



BT7885-TRAY AV Storage Tray



Also Available...

Adjustable Accessory Mounting Arm



Mount AV accessories such as shelves or video bar mounts to the BT7883/BT7885 using the BT7034 mounting arm or use BT7031 to mount onto the BT7896

BT7896

Pull-Out Flat Screen Wall Mount with In-Wall AV Storage Tray




Depth adjustment ensures a precise fit in recesses of different sizes

Recommended Max Screen	Max Load Screen	Max Load Tray	Max VESA	Tilt	
75" ↗ ↙	154lbs	12lbs	600 x 400	2° / 12°	



BT7883

Flat Screen Wall Mount with Slide-Out AV Storage Tray




Recommended Max Screen	Max Load Screen	Max Load Tray	Max VESA	
75" ↗ ↙	154lbs	22lbs	600 x 400	



BT7885

Flat Screen Wall Mount with Pull-Down AV Storage Tray





Recommended Max Screen	Max Load Screen	Max Load Tray	Max VESA	
86" ↗ ↙	154lbs	18lbs	600 x 400	




BT7888

Wall Mounted Slide-Out AV Storage Tray

Mount the storage tray a in landscape or portrait orientation below or by the side of the screen's wall bracket.



Specialized Storage Mounts



BT7891 Designed to store AV devices in the wall behind a mounted display

BT7891 In-Wall AV Storage Box



Suitable for mounting to 16" stud walls



BT7886 Mersive® Solstice Pod Mounting Cradle



BT7781 Chromecast® Mount



Contact B-Tech to confirm which generation of Chromecast when ordering



AV Component Shelves




AV shelves are ideal for mounting VC cameras.

BT7863 Small AV Accessory Shelf 9" x 5"




Mount directly to BT8380 & BT8381 columns.

BT7033 AV Accessory Shelf 12" x 12"



Use accessory collars to mount onto Poles

BT7032 Large AV Accessory Shelf 20" x 15"



Mounting Plates are available for installing a wide range of AV equipment, such as Video Bars, Soundbars, Video Conferencing Cameras, speakers etc.



Install video bars on existing B-Tech mounts above or below the screen using shelf adapters (BT7031 / BT7034 / BT8390-SA), collars (BT7052 / BT7841 - see page 58 for more info), or fix onto columns (BT8380 / BT8381). Solutions are available for most manufacturers.

Solutions available for all major brands, including:



(If a brand is not shown, please check the B-Tech website for our latest listings)

BT7870 Universal Conferencing Mount

See table below for compatibility

Mounts to the rear of the screen



BT7875 Mounting Plate

for Yealink UVC40 / A20 / MeetingEye 400, Logitech Meet Up & Poly Studio X30



BT7871 Mounting Plate

for Jabra Panacast 50, Poly Studio / X50 / X52 / X70 & Lenovo ThinkSmart Bar 180



BT7877 Mounting Plate

for Bose Videobar VB1 / VB-S, Logitech Rally Plus Speakers, Neat.Bar, Neat.Bar Pro & Yealink MspeakerII



Video Bar Mounts

Model Number	Brand	Video Bar / Camera	Max Load	System X System 2 Compatible	Dimensions
BT7870	Bose Barco Biamp Cisco Jabra Lenovo Logitech Maxhub Neat Predia Poly Yealink	Videobar VB-S Clickshar Bar (pro) Parlé VBC 2800 / VBC 2500(a) / ABC 2500(a) / SBC 2 Webex Room Kit Plus Panacast 50 ThinkSmart One MeetUp / MeetUp 2 / Rally Bar / Rally Bar Mini / Rally Bar Huddle UC S05 / UC S07 / UC S10 / UC S10 Pro / UC S15 bar / Xbar U50 / V50 / Xbar W70 Bar / Bar Pro Connect Studio USB / X50 / X52 / V52 / X70 / X72 / V72 Studio / Studio X30 MeetingBar A30 / A40 / A50 / MSpeaker II / UVC34 / UVC40 / MeetingEye 400 / 600 / UVC30 Room	22lbs	N/A	35.4" x 18.9-21.2"
BT7871	Jabra Lenovo Poly	Panacast 50 ThinkSmart 180 Studio / X50 / X70	6.5lbs	☒	7.3" x 3"
BT7873	Logitech	Rally Bar / Rally Bar Mini	18lbs	☒	17.3" x 1.2"
BT7874	Aver Cisco Logitech	VB342PRO Webex Room Kit Plus Rally Plus	11lbs	☒	29.1" x 1.2"
BT7875	Logitech Poly Yealink	MeetUp Studio X30 UVC40 / A20 / MeetingEye 400	9lbs	☒	3.5" x 2.5" x 2.4"
BT7876	Lenovo	Google Series One Medium Room / Google Series One Large Room Kits	22lbs	N/A	59.3" - 17.7"
BT7877	Bose Neat Yealink Logitech	Videobar VB1 / VB-S Bar / Bar Pro MSpeakerII / MeetingBar A50 Rally Plus Speakers (2 pcs required)	6.5lbs	☒	9.8" x 1.6"
BT7878	Yealink	A30 / MeetingEye 600	9lbs	☒	3.9" x 4.1" x 2.8"
BT7879	Biamp Lenovo	Parlé VBC / ABC 2500 / SBC 2 ThinkSmart One	11lbs	☒	22.2" x 2.8"



Use mounting arms to hook shelves and video bar adaptors above or below a screen



Use accessory collar(s) (BT7052/BT7841) to mount onto Ø2" poles.

BT7031

Adjustable Accessory Mounting Arm

Use with compatible B-Tech screen mounts

Adjustable arm mounts a shelf to
BT8431 / BT8432
BT8441 / BT8442
BT9901 / BT9903
BT8504 / BT8506
BT8572 / BT8573
BT8582 / BT8583
BT7896
screen mounts



Max Load Single	Max Load Pair	
9lbs	33lbs	

BT7034

Adjustable Accessory Mounting Arm

Use with compatible B-Tech AV Storage mounts

Use with
BT7883 / BT7885
screen storage
mounts



Max Load Single	Max Load Pair	
13lbs	26lbs	

BT8390-SA

Adjustable Accessory Mounting Arm

Use with System X
BT8390 Rails

Adjustable arm
mounts a
B-Tech shelf to
products that
use a BT8390
mounting rail



Max Load Single	Max Load Pair	
9lbs	33lbs	

BT7052

Ø2" Accessory Collar



Connects a compatible B-Tech mount or an AV accessory to a System 2 pole - See page 66 for more information



Use a BT7841 2-Piece Ø2" Collar to retro fit accessories onto poles



BT77 Side-Clamping Speaker Wall Mounts with Tilt & Swivel (Pair)



Adjustable clamp, tilt and swivel for optimum speaker mounting and positioning



Max Load	Tilt	Swivel	
55lbs	10° 10°	360°	

BTV914 Universal Soundbar Mount



BTV914 attaches onto a screen mount above or below the screen



Max Load	
22lbs	

Projector Mounts



Offering a wide selection of mounts to suit a variety of projector sizes and types, from home projection right up to large scale models used for entertainment venues and projection mapping.

Available in Black or White finishes, B-Tech projector mounts are designed to fit quickly, be easily installed and can be ordered for either direct to the ceiling mounting, or with a fixed drop (20", 40", 60", 80", 120") or with a tool-less height adjustable ceiling drop. Projector ceiling mounts suitable for installation onto angled ceilings are available and a selection of models are compatible with the System 2 range for customizing solutions such as when extra high ceilings mean a much larger ceiling drop is required.

The unique 'carousel' mounting plate designs featured on a number of products is for universal compatibility and micro-adjustment features allow easy positioning of mounted projectors for a perfectly aligned projected image.

To view the products full specifications including technical drawings, scan the QR codes to visit the online pages.

Key Features

- Options to mount directly to the ceiling for a flush installation or onto a pole for an extended drop
- Compatible with the B-Tech System 2 Professional Range and 1.5" NPT pipe systems
- Pre-assembled for simple three step installation
- Micro-adjustment for short throw projectors
- Integrated cable management for a smart installation
- Unique 'carousel' mounting plate for universal compatibility
- Supplied with universal fixings suitable for most projectors using M2.5, M3, M4, M5 and M6 fixings
- All mounting hardware included

Universal Mounting



Carousel mount design with adjustable extension legs to fit most projectors.

Cable Management



Integrated cable management allows cables to pass through the poles & exit via the ceiling plate.

Mounting Options



Tilting ceiling plate suitable for angled ceilings supplied with fixed drop (FD) mounts.

Micro-Adjustment



Thumbwheel adjustment for precision alignment.

BT899
Projector Ceiling Mount with Micro-Adjustment

BT899-AD
Adjustable Drop Projector Ceiling Mount with Micro-Adjustment

BT899-FD
Fixed Drop Projector Ceiling Mount with Micro-Adjustment

Max Load	Yaw	Pitch	Roll	
 55lbs	 360°	 -13° +13°	 -6° +6°	



Max Projector Fixings
14.5"

BT899XL
XL Projector Ceiling Mount with Micro-Adjustment

BT899XL-AD
Adjustable Drop XL Projector Ceiling Mount with Micro-Adjustment

BT899XL-FD
Fixed Drop XL Projector Ceiling Mount with Micro-Adjustment

Max Load	Yaw	Pitch	Roll	
 55lbs	 360°	 -13° +13°	 -6° +6°	



Max Projector Fixings
19.4"

BT893
Heavy Duty Projector Ceiling Mount with Micro-Adjustment

BT893-AD
Adjustable Drop Heavy Duty Projector Ceiling Mount with Micro-Adjustment

BT893-FD
Fixed Drop Heavy Duty Projector Ceiling Mount with Micro-Adjustment

Max Load	Yaw	Pitch	Roll	
 154lbs	 25°	 -10° +20°	 -6° +6°	



Max Projector Fixings
34.3"

Component Ranges for Custom Solutions



B-Tech component ranges are modular systems that feature individual off-the-shelf products that fit together like a giant Meccano set. This allows custom mounting solutions to be built in an almost endless number of configurations, and offer adaptability, if the parameters of a project suddenly change. Installations can be further enhanced with additional equipment options, such as AV shelves, media players, or smaller screens.

For installations where customizability is not required, see our **Complete Mounting Solutions and Kits** starting on **page 6**.

[Mounting Guides](#)
Quick overview of our
component based systems



SYSTEM X

Multi-Screen Mounting System

Videowalls, Menu Boards & Specialist Single Screen Solutions

System X is a component based system designed as a highly configurable range for installing multi-screen equipment, such as menu boards, videowalls and broadcasting set-ups. View the **System X Mounting Guides** for further details.

The range can be ordered in individual parts or for user convenience **Complete Mounting Solutions** are also available that cover the most common requirements.

The online **System X Configuration Tool** makes it easy to configure and order System X, no matter your requirement.



SYSTEM 2™

Ø2" Pole Mounted Installs

Ceiling, Wall Or Floor-To-Ceiling Applications

System 2 is a truly versatile and flexible component mounting system which works on a modular principle based around Ø2" poles, allowing AV equipment to be mounted almost anywhere. Offering a variety of mounting options, the poles can be joined together, cut to size, attached to the wall, ceiling or floor and can hold all manner of AV devices by clamping them to the poles using accessory collars. View the **System 2 Mounting Guide** for further details.


The range can be ordered in individual parts, or for user convenience **Complete Mounting Solutions** are available.



SYSTEM X SYSTEM 2™

Use System X & System 2 Together For Even More Mounting Possibilities

System 2 and **System X** are compatible ranges that work together, offering 1,000s of possible mounting solutions. View the **System X / System 2 Mounting Guide** for further information.



Mode-AL

Premium UC / VC Displays & Floor Stands

The **Mode-AL** brand is a range of premium mounting solutions typically catering for high-end projects Mode-AL solutions and have been used in thousands of installations worldwide.

The **Mode-AL** range is a component-based system that can be ordered in individual parts. View the **Mode-AL Mounting Guide** for further details.


For user convenience, we have created **Complete Mounting Solutions Floor Stand Kits** that can be customized using **System X** and **System 2** accessories.



Step 1

Choose **Floor** Or **Wall Mounted** Set-up

Wall Mounts




BT8390-WFK1

BT8390-WFK2

BT8390-WFK5

BT8390-WFK6



BT8390-WFK3

BT8390-WFK8

BT8390-WFK4

Floor Bases



BT8380-FFB

BT8380-AFB

BT8380-RFB



BT8380-BASE

BT8380-SHB

BT8380-FSB

BT8380-Base Accessories

For use with BT8380-BASE only



BT8380-CASTORS

Step 2

Choose Height Of Column

Columns

BT8380-060 (24")
BT8380-180 (70")



Column Extension Kit



BT8380-EXTV

Columns

Wall Tie-Back



BT8380-WTB

False Floor Trim



BT8380-FFT



BT8380-060 (24")

BT8380-180 (70")

Create a custom System X wall mount or floor stand in 4 simple steps

The System X range offers a versatile, component-based design for multi-screen and digital signage applications. Components can be individually supplied for custom installations, providing flexibility and convenience. Additionally, **System X** is compatible with **System 2** Ø2" poles for ceiling-mounted set-ups. See the next page for more information.

Step 3

Choose Length Of Mounting Rail

Mounting Rails



BT8390-050	(20")
BT8390-070	(27.5")
BT8390-100	(40")
BT8390-150	(60")
BT8390-175	(70")
BT8390-200	(80")

Rail Extension Kit



BT8390-EXT

Angle Connector



BT8390-AAC

Mounting Rails




BT8390-050	(20")
BT8390-070	(27.5")
BT8390-100	(40")
BT8390-150	(60")
BT8390-175	(70")
BT8390-200	(80")

Joining Kit



BT8380-JPK

BT8380-JPT



BT8380-JPR

Adapter Kit



For use with non-System X interfaces

BT8390-ADP

Step 4

Choose Screen Interface Kit

Screen Interface Arms



BT8390-VESA200F



BT8390-VESA200T



BT8390-VESA400F



BT8390-VESA400T



BT8390-VESA400MAF



BT8390-VESA400MAP



BT8390-VESA600F



BT8390-VESA800F



BT8390-VESA1200F

Step 5 Add Accessories



BT7884



BT8390-RCP



BT8390-SA



BT7032



BT7033



BT7863



BT7866



BT7871-BT7879

Step 1

Choose a **SYSTEM2** ceiling, wall or floor mount

Ceiling Mounts



BT7851

BT7822

BT7807

BT7808

Specialist Mounts



BT7012

BT7017

BT7825

Wall Mounts



BT7831

Floor Mounts



BT7056

BT7822

BT7807

Step 2

Choose length of **SYSTEM2** pole

Ø2" Poles

Standard

BT7850-050 (20")
BT7850-100 (40")
BT7850-150 (60")
BT7850-200 (80")
BT7850-300 (120")

Heavy-Duty

BT7853-200 (80")
BT7853-300 (120")



Pole Ring



BT7055

Pole Joiners



BT7823

BT7824

BT7852

Ø2" Poles

Standard

BT7850-050 (20")
BT7850-100 (40")
BT7850-150 (60")
BT7850-200 (80")
BT7850-300 (120")

Heavy-Duty

BT7853-200 (80")
BT7853-300 (120")



Pole Ring



BT7055

Create a custom System X ceiling mount in 4 simple steps

The System X range offers a versatile, component-based design for multi-screen and digital signage applications. Components can be individually supplied for custom installations, providing flexibility and convenience. Additionally, **System X** is compatible with **System 2** Ø2" poles for ceiling-mounted set-ups.

Step 3

Choose length of **SYSTEM X** mounting rail

Ø2" Accessory Collars



BT7841

BT7052


BT7051

Collar Mounting Bracket



BT8390-CFK

Mounting Rails



BT8390-050 (20")
BT8390-070 (27.5")
BT8390-100 (40")
BT8390-150 (60")
BT8390-175 (70")
BT8390-200 (80")

Rail Extension Kit




BT8390-EXT

Angle Connector



BT8390-AAC

Mounting Rails



BT8390-050 (20")
BT8390-070 (27.5")
BT8390-100 (40")
BT8390-150 (60")
BT8390-175 (70")
BT8390-200 (80")

Step 4

Choose a **SYSTEM X** interface kit & accessory

Accessories



BT7032

BT7033

BT7865

Mounting Arm



BT8390-SA



BT7863

BT7866

BT7871-BT7879

Screen Interface Arms



BT8390-VESA200F

BT8390-VESA200T



BT8390-VESA400F

BT8390-VESA400T



BT8390-VESA400MAF

BT8390-VESA400MAP



BT8390-VESA600F

BT8390-VESA800F

BT8390-VESA1200F

Step 1

Choose a pole mount

Ceiling Mounts



BT7822

BT7808

BT7851

BT7807

Specialist Mounts



BT7012

BT7017

BT7825

Wall Mounts



BT7831

Floor Mounts



BT7056

BT7822

BT7807

BT8380-RFB

Step 2

Choose a pole

Ø2" Poles

Standard

BT7850-050 (20")
BT7850-100 (40")
BT7850-150 (60")
BT7850-200 (80")
BT7850-300 (120")

Heavy-Duty

BT7853-200 (80")
BT7853-300 (120")



Pole Joiners



BT7823

Finishing Ring



BT7055

Ø2" Accessory Collars



BT7052

BT7841

BT7051

Swivel Pole Adapter



BT7852

Collar Kit



BT8390-CFK

System X Mounting Rails & Components



BT8390-050 (20")
BT8390-070 (27.5")
BT8390-100 (40")
BT8390-150 (60")
BT8390-175 (70")
BT8390-200 (80")

Choose suitable System X screen interface arms to use with mounting rails

Create a custom pole mounted solution in 4 simple steps

The System 2 range is a component-based mounting system designed around the use of Ø2" poles. For flexibility & convenience, components are supplied individually and can be used to create custom installations to suit any application. System 2 is also compatible with the system x range for ceiling-mounted videowall applications.

Step 3

Choose a collar or mount

Ø2" Double Collar



BT7051

Ø2" Single Collars



BT7052

BT7841

Column / Pillar Clamp



BT7832

Flat Screen Pole Interface



BT7551

Security Camera Mount



BT6010

Projector Mounts



BT893



BT899XL

BT899

Step 4

Choose screen interface kit and/or accessory

Twin Pole Flat Screen Mount

4 Collars Required



BT9901

BT9903

BT9910

Adapters



BT7502

BT7542

BT7540



BT7564

BT7565

Flat Screen Mounts

1 Collar Required



BT7510

BT7511

BT7523

2 Collars Required



BT7518

BT7532

BT7519

BT7611

2 Collars Required (Single Pole), 4 Collars Required (Double Pole)



BT7550

BT8441

BT8431

BT8442

BT8432

Full Service Flat Screen Mounts

2 Collars Required

4 Collars Required



BT8309

BT8312

BT8310XL

BT7896

Mounting Arm



BT7031

Shelves & Accessory Mounts

1 Collar Required



BT7033

BT7863

BT7866

BT7871 / BT7873 / BT7874 / BT7875 / BT7878 / BT7879

2 Collars Required



BT7032

BT7865

BT77

BT7862

Step 1

Choose **Floor** / **Ceiling** Fixing

Ceiling Mounts




BT7822

Floor-To-Wall Mount



BT8385-CTW

Floor Bases



BT8385-BDB

BT8380-AFB



BT8385-SXB

BT8385-TXB

Braked Castors



BTW075-4

Step 2

Choose Column / Pole Length

Ø2" Poles

Standard

BT7850-050 (20")
BT7850-100 (40")
BT7850-150 (60")
BT7850-200 (80")
BT7850-300 (120")

Heavy-Duty

BT7853-200 (80")
BT7853-300 (120")

Pole Ring



BT7055



Floor-To-Ceiling Mounting Kit



*Includes additional column extension kit for combining vertical columns if required.

BT8385-FTC

Columns



BT8385-130 (50")

BT8385-190 (75")

Create a custom Mode-AL display stand in 3 simple steps

Complete off-the-shelf kits are available, but for greater flexibility and convenience components can be supplied individually and used to create custom installations to suit any application.


Step 3

Choose Mounting Rail, Interface Arms & any additional accessories

Screen Interface Arms

BT8390-VESA200F

BT8390-VESA400F




BT8390-VESA200T

BT8390-VESA400T

BT8390-VESA400MAP

BT8390-VESA800F




BT8390-VESA400MAF

BT8390-VESA600F

BT8390-VESA1200F

Mounting Rails



BT8390-050 (20")
BT8390-070 (27.5")
BT8390-100 (40")
BT8390-150 (60")
BT8390-175 (70")
BT8390-200 (80")

Joining Kit



BT8385-RTC

Mounting Arm



BT8390-SA

Component Shelves



BT7863

BT7033

BT7032

Off-The-Shelf Complete Mode-AL Solutions

Single Screen

Floor-To-Ceiling



BT8702

View the full range now...



Floor-To-Wall



BT8700



BT8701



BT8707



BT8710

Bolt-Down



BT8703



BT8704



BT8708



BT8711

Freestanding



BT8705



BT8706



BT8709



BT8712

Media Storage / Video Bar Mounts / UC Equipment


BT7871

BT7873

BT7874



BT7884



BT7875



BT7877



BT7878



BT7879

Contact Us

Headquarters - USA

B-Tech AV Mounts LLC

Tel: +1 888 792 8188

Email: Americas@btechavmounts.com

**Our full line catalog contains
over 180 pages of mounting
solutions for any application**



View online at **www.btechavmounts.com**

© 2026 March B-Tech AV Mounts Corporation Ltd., All rights reserved.

The information in this catalog reflects the current technical specifications at the time of print. We reserve the right to change the technical or physical specifications without prior notice. System X, System 2, System Xpert & System Xpress are trademarks of B-Tech AV Mounts Corporation Ltd., B-Tech AV Mounts, the B-Tech logo, Ventry & Mode-AL are all registered trademarks. All B-Tech images & symbols are exclusive property of B-Tech AV Mounts Corporation Ltd. All other brands & products are trademarks of their respective owners. B-Tech accept no liability for loss or damage caused by improper installation or mounting on unstable structures.
E&OE.

Disclaimer

B-Tech security fasteners are designed as a security deterrent only. B-Tech, B-Tech distributors & B-Tech resellers accept no liability for loss or resulting costs incurred from the theft, attempted theft or unauthorized removal of any item(s) mounted using B-Tech security fasteners. Security screw removal tools are widely available & all B-Tech security fasteners are intended as a deterrent to the opportunist thief only.

B-Tech AV Mounts is part of the

GM|G

GLOBAL MOUNTS GROUP

www.globalmountsgroup.com

CA-2026-VI-26032026-NA



Designed & Engineered
in the UK

GM|G

Since 2022, B-Tech has been part of the Global Mounts Group; the ultimate specialist in mounting solutions for IT and pro AV hardware. The group consists of three market-leading brands; Neomounts, B-Tech AV Mounts, and Audipack, whose combined portfolio enables the Global Mounts Group to offer the most extensive assortment of high-quality mounting products available in the market today.

Each brand brings its unique expertise and innovative approach, ensuring clients have access to the best solutions for their specific needs. Neomounts as leading specialist in mounting solutions for mainly IT, Office and AV-channels, B-Tech as a market leading provider of AV and pro-AV mounting solutions and Audipack as specialist in custom-made high end pro-AV mounting solutions.

Neomounts

B Tech
AV Mounts

Audipack