



Flat Screen Wall Mounted Solutions

B-TECH FLAT SCREEN WALL MOUNTED SOLUTIONS

B-Tech Elements mounts offer the core traits that B-Tech is known for, exceptional build quality, strength, and reliability, without some of the premium features typically reserved for our flagship mounts.

The range includes features designed to make installation as simple and efficient as possible. Suitable for screens up to 80" and VESA patterns up to 600 x 400, the selection offers options such as tilt and swivel functionality and quick release mounting arms. The Elements range is perfect for both installers and end users, offering flexibility and reliable performance across a wide range of applications.




CONTENTS

elements


Pull Out Flat Screen Solution
For screens up to 75"

pg.5




Fixed Flat Screen Solutions
For screens up to 80"

pg.6




Tilt Flat Screen Solutions
For screens up to 80"

pg.7



Articulating Wall Mounted Solutions
For screens up to 75"

pg.8-11



FIXED & TILT WALL MOUNTED SOLUTIONS




The **B-Tech Elements range** is designed for medium to large screens, offering a sleek, low-profile solution that supports displays weighing up to 70kg, with a minimal wall depth. Ideal for hospitality and similar environments, these mounts feature a universal interface compatible with VESA patterns 400 x 400mm to 600 x 400mm. For ease of installation, they include built-in lateral adjustment and a quick-release locking mechanism. Solutions available for a fixed, tilted or articulating installations.

Products ship in a compact plastic free single box for user convenience



KEY FEATURES

- 1 Lateral adjustment of the screen once mounted
- 2 Easy-to-use pull-to-release mechanism cord
- 3 Simple 'hook-on' installation with all mounting hardware included
- 4 Ships in a compact plastic free single box for user convenience



elements • access

BT8443

PULL OUT FLAT SCREEN WALL MOUNT WITH TILT & SWIVEL

Designed for large screens, the **BT8443** is a pull-out flat screen wall mount with extendable arms that allow the display to swivel and tilt at various angles, which is ideal for recess mounting, optimising the viewing angle and allowing ease of access for servicing. Capable of supporting displays of up to 35kg, the mount includes a universal interface compatible with VESA patterns up to 650 x 400mm and offers built-in lateral adjustment.




SPECIFICATIONS

Recommended screen size	up to 75"
Max load	35kg
Dimensions	W: 686mm H: 444mm D: 69mm
VESA® & non-VESA fixing patterns	up to 650 x 400mm
Tilt	12° downward / 2° upward
Swivel	28°
Distance from wall	Min: 69mm - Max: 220mm

FEATURES

- 1 Extendable mount pulls out from the wall for easy access to servicing
- 2 Tool-less tilt and swivel
- 3 Suitable for recess mounting
- 4 Lateral adjustment of the screen once mounted
 - Levelling screws allow adjustment of screen height
 - Open wall plate design keeps electrical outlets unobstructed
 - Mounts just 69mm from the wall when the arms are retracted
 - Safety screws help prevent unauthorised removal of the screen
 - Simple 'hook-on' installation with all mounting hardware included

RECOMMENDED MAX SCREEN	MAX LOAD	MAX VESA	POST INSTALL ALIGNMENT	TILT	SWIVEL	
75" 190cm	35kg	600 X 400				



elements • **fixed 400**

BT5441

FLAT SCREEN WALL MOUNT
FOR SCREENS UP TO 65"

SPECIFICATIONS

Recommended screen size	up to 65"
Max load	50kg
VESA® & non-VESA fixings	up to 450 x 400mm
Distance from wall	27mm

- FEATURES
- 1

Low-profile design mounts screen only 27mm from the wall
- 2

Lateral adjustment of the screen once mounted

Easy-to-use locking / release mechanism with a pull-to-release cord

Simple 'hook-on' installation with all mounting hardware included

Contemporary design featuring aesthetic end caps

RECOMMENDED
MAX SCREEN

MAX
LOAD

MAX
VESA


POST INSTALL
ALIGNMENT

65"

165cm

50kg

400
x
400



elements • **fixed 600**

BT5442

FLAT SCREEN WALL MOUNT
FOR SCREENS UP TO 80"

SPECIFICATIONS

Recommended screen size	up to 80"
Max load	70kg
VESA® & non-VESA fixings	up to 650 x 400mm
Distance from wall	27mm

- FEATURES
- 1

Easy-to-use locking / release mechanism with a pull-to-release cord
- 2

Simple 'hook-on' installation with all mounting hardware included

Low profile design mounts screen only 27mm from the wall

Lateral adjustment of the screen once mounted

Contemporary design featuring aesthetic end caps

RECOMMENDED
MAX SCREEN

MAX
LOAD

MAX
VESA


POST INSTALL
ALIGNMENT

80"

203cm

70kg

600
x
400



elements • **tilt 400**

BT5431

FLAT SCREEN WALL MOUNT WITH TILT
FOR SCREENS UP TO 65"

SPECIFICATIONS

Recommended screen size	up to 65"
Max load	50kg
Tilt	0°, 5°, 10° & 15°
VESA® & non-VESA fixings	up to 450 x 400mm
Distance from wall	Min - 48mm Max - 149mm

- FEATURES
- 1

Tilt offers four set angles for easy adjustment
- 2

Lateral adjustment of the screen once mounted

Easy to use locking mechanism with pull-to-release cord

Simple 'hook-on' installation with all mounting hardware included

Low-profile design mounts screen only 48mm from the wall

Contemporary design featuring aesthetic end caps

RECOMMENDED
MAX SCREEN

MAX
LOAD

MAX
VESA

POST INSTALL
ALIGNMENT

TILT



65"

165cm

50kg

400
x
400

15°



elements • **tilt 600**

BT5432

FLAT SCREEN WALL MOUNT WITH TILT
FOR SCREENS UP TO 80"

SPECIFICATIONS

Recommended screen size	up to 80"
Max load	70kg
Tilt	0°, 5°, 10° & 15°
VESA® & non-VESA fixings	up to 600 x 400mm
Distance from wall	Min - 48mm Max - 149mm

- FEATURES
- 1

Easy-to-use locking mechanism with pull-to-release cord
- 2

Simple 'hook-on' installation with all mounting hardware included

Tool-less tilt features four adjustable angles for quick, easy adjustments without tools

Lateral adjustment of the screen once mounted

Low-profile design mounts screen only 48mm from the wall

Contemporary design featuring aesthetic end caps

RECOMMENDED
MAX SCREEN

MAX
LOAD

MAX
VESA

POST INSTALL
ALIGNMENT

TILT


80"

203cm

70kg

600
x
400

15°



ARTICULATING WALL MOUNTED SOLUTIONS



B-Tech's Elements Range also includes, a series of articulating wall mounts designed to mount medium / large flat screens. These articulating wall mounts feature an easy to tilt interface and three swivel points for quick, smooth repositioning of the screen, whether folded flat to the wall or at maximum extension. Featuring cover plates and cable management for a tidy mounting solution, these solutions are ideal for both commercial and home installations.

Products ship in a compact plastic free single box for user convenience



KEY FEATURES

- 1 Lateral adjustment of the screen once mounted
- 2 Three points of swivel adjustments of the mount
- 3 Slim-line design allows close-to-wall installation when folded flat
- 4 Easy toolless tilt adjustment of the screen

elements • elite

BT5226 DOUBLE ARM FLAT SCREEN WALL MOUNT WITH TILT & SWIVEL

Designed to mount medium / large screens, this articulating wall mount features an easy to tilt interface and three swivel points for quick, smooth repositioning of the screen - whether folded flat to the wall or at maximum extension. Featuring cover plates and cable management for a tidy mounting solution, the BT5226 is ideal for both commercial and home installations.





SPECIFICATIONS

Recommended screen size	up to 65"
Max load	35kg
VESA® and non-VESA fixings	up to 600 x 400
Tilt	12° downward / 2° upward
Screen levelling	+ / - 5°
Swivel	180°
Distance from wall	Min : 54.6mm Max : 494.8mm
Colour	Black

FEATURES

- 1 Depth adjustment for close to wall and extension from the wall
- 2 Slim-line design allows close-to-wall installation when folded flat
- 3 Easy tool-less tilt adjustment of the screen
- 4 Three points of swivel adjustments of the mount
 - Lateral adjustment of the screen once mounted
 - Suitable for portrait and landscape mounting
 - Screen levelling of up to 5° in either direction
 - Safety screws prevent unauthorised removal of screens
 - Cable management
 - Simple 'hook-on' installation with all mounting hardware included

RECOMMENDED MAX SCREEN	MAX LOAD	MAX VESA	TILT	SWIVEL	POST INSTALL ALIGNMENT	QR CODE
65" 165cm	35kg	600 x 400	2° 12°	180°		



elements • extra

BT5229
DOUBLE ARM FLAT SCREEN
WALL MOUNT WITH TILT & SWIVEL

Designed to mount medium / large screens, this articulating wall mount features an easy to tilt interface and three swivel points for quick, smooth repositioning of the screen - whether folded flat to the wall or at maximum extension. Suitable for mounting across 16" stud walls, the bracket also features cable management for a tidy mounting solution. The BT5229 is ideal for both commercial and home installations.

SPECIFICATIONS


Recommended screen size	up to 65"
Max load	35kg
VESA® and non-VESA fixings	up to 600 x 400
Tilt	12° downward / 2° upward
Screen levelling	+ / - 5°
Swivel	180°
Distance from wall	Min : 57.6mm Max : 497.8mm
Colour	Black

FEATURES

- 1 Ideal for mounting across 16" stud walls
- 2 Slim-line design allows close-to-wall installation when folded flat
- 3 Easy tool-less tilt adjustment of the screen
- 4 Three points of swivel adjustments of the mount
 - Depth adjustment for close to wall and extension from the wall
 - Lateral adjustment of the screen once mounted
 - Suitable for portrait and landscape mounting
 - Screen levelling of up to 5° in either direction
 - Safety screws prevent unauthorised removal of screens
 - Cable management
 - Simple 'hook-on' installation with all mounting hardware included



RECOMMENDED MAX SCREEN	MAX LOAD	MAX VESA	TILT	SWIVEL	POST INSTALL ALIGNMENT	
65" 165cm	35kg	600 x 400	2° 12°	180°		



elements • plus

BT5227
TWIN CANTILEVER ARM FLAT SCREEN
WALL MOUNT WITH TILT & SWIVEL

Designed for mounting large screens, this twin-cantilever arm wall mount offers an easy-to-use tilt interface and three swivel points for smooth, quick repositioning—whether folded flat against the wall or fully extended. With cover plates and cable management for a neat and organised installation, the BT5227 is perfect for both commercial and home settings.

SPECIFICATIONS


Recommended screen size	up to 75"
Max load	45kg
VESA® compatibility	up to 600 x 400
Tilt	12° downward / 2° upward
Screen levelling	+ / - 5°
Swivel	180°
Distance from wall	Min : 62mm Max : 720mm
Colour	Black

FEATURES

- 1 Extendable wall mount with three swivel points for optimal screen positioning
- 2 Slim-line design allows close-to-wall installation when folded flat
- 3 Easy toolless tilt adjustment of the screen
- 4 Attractive cover plates hide fixings
 - Suitable for portrait and landscape mounting
 - Lateral adjustment and levelling of the screen after mounting
 - Safety screws prevent unauthorised removal of screens
 - Cable management clips ensure a neat and organised cable setup
 - Simple 'hook-on' installation with all mounting hardware included



RECOMMENDED MAX SCREEN	MAX LOAD	MAX VESA	TILT	SWIVEL	POST INSTALL ALIGNMENT	
75" 191cm	45kg	600 x 400	2° 12°	180°		



United Kingdom
+44 (0)1327 300 787

uk@btechavmounts.com

Europe
+32 (0)2 720 9271

europe@btechavmounts.com

Germany
+49 (0)21625483032

dach@btechavmounts.com

Spain
+34 93 640 24 79

iberia@btechavmounts.com

Americas
+1 888 792 8188

americas@btechavmounts.com

MEAI
+971 4 3574855

meai@btechavmounts.com

APAC
+65 3159 1604

apac@btechavmounts.com

China
(+86) 574 8810 3861

china@btechavmounts.com

South Korea
+82 (0) 2 862 3165

korea@btechavmounts.com

Vietnam
+84 (0)24 3201 3418

vietnam@btechavmounts.com

For full details of all B-Tech offices, please visit www.btechavmounts.com/contact-us or scan here:



© 2025 August B-Tech AV Mounts Corporation Ltd., All rights reserved.

The information in this catalogue reflects the current technical specifications at the time of print. We reserve the right to change the technical or physical specifications without prior notice. B-Tech AV Mounts & the B-Tech logo are registered trademarks. All B-Tech images & symbols are exclusive property of B-Tech AV Mounts Corporation Ltd. All other brands & products are trademarks of their respective owners. B-Tech accept no liability for loss or damage caused by improper installation or mounting on unstable structures.
E&OE.

Disclaimer

B-Tech security fasteners are designed as a security deterrent only. B-Tech, B-Tech distributors & B-Tech resellers accept no liability for loss or resulting costs incurred from the theft, attempted theft or unauthorised removal of any item(s) mounted using B-Tech security fasteners. Security screw removal tools are widely available & all B-Tech security fasteners are intended as a deterrent to the opportunist thief only.

B-Tech AV Mounts is part of the

GM | G

GLOBAL MOUNTS GROUP

www.globalmountsgroup.com


Designed & Engineered
in the UK

EPB-2025-V1-280825-ENG