




SAMSUNG



Mounting Systems
Designed for Samsung LED & Digital Signage

www.btechavmounts.com

B-TECH SOLUTIONS
FOR SAMSUNG DISPLAYS

B-Tech AV Mounts is a globally recognised, industry leader in professional AV mounting solutions, excelling in strength, innovation and quality. This mini-brochure showcases a selection of our exclusive mounting solutions for Samsung displays, designed for a variety of applications—from dvLED signage and video walls to kiosks and beyond

Our solutions integrate seamlessly with Samsung displays, enhancing functionality and aesthetic appeal across diverse sectors, including corporate offices, educational institutions, retail spaces, and entertainment venues. With precision engineering and robust construction, our mounts provide a secure foundation, ensuring your displays are installed without fuss, securely positioned and visually captivating.

Inside, you'll discover innovative and versatile mounting options that reflect our commitment to quality. Each product is designed to make installation as straightforward, safe and efficient as possible with key components pre-assembled, enabling users to achieve an optimal display and visual experience.



CONTENTS

About B-Tech AV Mounts pg.2-9

Samsung All-in-One IAB & IAC Displays
Mounting Solutions pg.10-17



Samsung dvLED Panels
Mounting Solutions pg.18-25

Samsung Digital Signage
Kiosk & Enclosure Mounting Solutions pg.26-31

Samsung OMN-D Series 55"
Double Sided Displays
Mounting Solutions pg.32-33

Samsung E-Paper
Mounting Solutions pg.36-37

Additional Samsung Displays
Universal Mounting Solutions pg.39-47



WHY CHOOSE B-TECH?

B-Tech's global product development team brings together skilled designers and engineers from our offices in the UK, Europe, Asia and North America. This collaborative network enables us to deliver top-quality AV mounting solutions tailored to the needs of international markets. With direct knowledge of local requirements, we ensure swift, efficient support for custom projects. All supported by our technical and sales teams available to answer questions and provide expert guidance.

At B-Tech, we're committed to designing products that are safe, reliable, and robust, consistently striving to exceed customer expectations.

The B-Tech Guarantee

- **Unmatched Range:** Our extensive catalogue features one of the industry's largest selections of mounting solutions.
- **Limitless Configurations:** With thousands of configurations available through our stocked, modular component systems, we provide versatile options for any project.
- **Rapid, Accurate Quotes:** We offer quick, precise quotes for complex setups, including dvLED installations, often fulfilling bespoke needs directly from stock.
- **Dedicated Support:** Our technical and sales teams are always available to answer questions and provide expert guidance
- **Fast Dispatch:** Many B-Tech locations offer same-day dispatch, ensuring swift delivery for urgent requirements.
- **Decades of Excellence:** Established in 1972, B-Tech brings over 50 years of industry experience and is a multiple award-winner, including Manufacturer of the Year at the AV Awards, and top honours for our System X and dvLED solutions.
- **In-House Design and Rigorous Testing:** Our in-house engineering team ensures every product meets the highest standards of quality and innovation. Each item is tested to TÜV and UL standards, providing users with confidence in its reliability and performance.

CUSTOM SOLUTIONS

If we don't already have a solution that meets your exact needs, our technical support team can recommend B-Tech component parts to create a tailored setup. If further customisation is required, our product engineers are ready to design a bespoke solution based on your specifications. Get in touch with us directly at technical@btechavmounts.com, and we'll be happy to configure a solution that's just right for you.



Fully stocked products enables a fast turn around on orders and shipping



Our technical and sales teams are always available to answer questions and provide expert guidance



Pre-assembled mounting components to reduce on-site installation time



To ensure the best quality. All QC checks are performed by B-Tech engineers



WHAT MAKES B-TECH UNIQUE?

Comprehensive Product Range

B-Tech provides an extensive selection of mounting solutions, including wall, ceiling, desk, and floor mounts for display screens, dvLED, projectors, and audio equipment. B-Tech delivers versatility and choice for every setting.

Modular Design Systems

Our System X and System 2 ranges feature modular components that enable custom configurations, making installations exceptionally flexible and adaptable. This is especially valuable for complex or large-scale AV setups, where our engineers are available to design tailored installation plans and provide quotes based on your precise requirements.

Ease of Installation

B-Tech mounts are designed with installation simplicity in mind, incorporating features such as tool-free adjustments, integrated cable management, and streamlined mounting processes. These features work together to save time and simplify setup.

Innovative Design and Aesthetics

Our products merge functionality with style, offering professional-grade mounts that integrate seamlessly into both commercial and home environments without sacrificing visual appeal.

Global Compliance and Safety Standards

B-Tech meets rigorous international safety standards, ensuring reliability and security across global markets. Our products are regularly certified by TÜV, UL, and other prominent regulatory bodies.

Sustainability

As part of our ethical responsibility, B-Tech is committed to operating in an environmentally friendly way, prioritising sustainable product choices and recyclability. Our dedication to a circular economy is at the heart of our operations, helping us address global climate change. Detailed insights into our environmental initiatives can be found in our Greensheets.

Environmentally Friendly Packaging

We're transitioning to plastic-free packaging across all new product lines. This initiative includes updating existing product boxes, aligning with our goal of eliminating plastic packaging across our entire range to support a greener planet.



Better by Design

Designed to make mounting dvLED simple

Boasting the industry's most comprehensive and adaptable dvLED mounting systems on the market, our award-winning System X range allows solutions to be configured and supplied at pace from multiple stocked locations around the world, making B-Tech the 'go-to' supplier for mounting dvLED displays.

B-Tech's dvLED mounting solutions cater to wall, mobile, freestanding, fixed base and ceiling applications. Utilising off-the-shelf components allows for prompt packing and shipping, we can cut rails down to size and pre-assemble most of the frame before shipping – making it a quick install on site with the added benefit of adaptability, should the project parameters unexpectedly change. These solutions are suitable for indoor use, are easy-to-install and supplied with complete technical drawings and installation support.

Whilst many dvLED mounting solutions can be tailored to requirement using our online configuration tool, more custom and intricate installations are also easily specified by talking to our skilled technical team directly at technical@btechavmounts.com



To assist with the precise installation of dvLED cabinets, a range of System X components featuring level, depth, height and angle adjustments have been developed to provide an exact and accurate mounting experience. Ideal for installations on uneven surfaces.



Laser cutting for precision and short lead times



Quick custom solutions. Columns, Rails and Poles can be cut to length in-house




The pre-assembling of all key components by our engineers saves installers valuable on-site time

CEILING MOUNTED LED VIDEOWALL - VIRTUAL ADVERTISING STUDIO



SAMSUNG IEA CABINETS



ALTERNATIVE CONFIGURATIONS




B-Tech has one of the largest range of AV mounting solutions in the market, with over 2000 different configurations of dvLED available! Visit our online configuration tool to specify setups with different options such as screen size, orientation and leg height.

Try now at:
www.btechavmounts.com/led-panel-configurator



FULL INSTALLATION & PRODUCT SUPPORT


Installers provided with full technical drawings, CAD images, installation guides, pre-assembled frames and rails cut to size for quick and easy install on site. Further assistance on site can also be requested on more complicated installations.



WORLDWIDE INSTALLATIONS

B-Tech has a longstanding history as the professional installer's choice for mounting solutions, and our partnership with Samsung, the world's leading screen manufacturer, has delivered remarkable results worldwide. Our collaboration spans years, showcasing our commitment to quality and innovation in display solutions. This page highlights some of our largest installations, featuring Samsung displays securely mounted with B-Tech solutions, demonstrating our shared dedication to excellence in digital display installations across the globe.


FLOOR-TO-CEILING LED VIDEOWALL - AUDITORIUM



SAMSUNG ALL-IN-ON 146" IAB DISPLAY



BOLT-DOWN LED VIDEOWALL - SIDEV PARIS



SAMSUNG IFR CABINETS


WALL MOUNTED LED VIDEOWALL - BANKING HQ




SAMSUNG THE WALL IWA CABINETS

dvLED Mounting Solutions

Designed Specifically for IAB & IAC Series All-in-One Displays



Mounting solutions comprised of freestanding and bolt-down options with the choice of adding castors to create mobile solutions, all designed specifically for Samsung's The Wall All-in-One Series commercial displays. Contact technical@btechavmounts.com if you have a requirement for a configuration different to those shown.



BT9170-SAM110

FREESTANDING FLOOR STAND FOR SAMSUNG ALL-IN-ONE 110" IAB DISPLAY


The BT9170-SAM110 is a freestanding mounting solution designed specifically for Samsung's The Wall All-in-One IAB 110" Series Display. A stylish design allows for a quick and easy installation utilising the Samsung All-in-One mounting brackets. A high-end aesthetic, anodised aluminium finish and integrated cable management ensures a smart and stylish installation.

SPECIFICATIONS

Dimensions (Without Cabinet)	2005 x 1900 x 950mm
Dimensions (With Cabinet)	2423 x 1890 x 950mm
Colour	Black
For indoor use only	

FEATURES

- 1 Designed specifically for the Samsung 110" IAB Series All in One
- 2 Incorporates Samsung 110" All-in-One IAB Series mounting brackets
- 3 Simple 'hook-on' installation
- 4 Floor base utilises adjustable levelling feet, ideal for uneven surfaces
- Created from System X components
- Open frame allows panel access for easy servicing and maintenance
- Pre-assembly of major parts for quick and easy installation
- Integrated cable management for a neat and tidy install
- All mounting hardware included
- Add castors (BT8390-CASTORS) to create a mobile solution



BT9172-SAM110

BOLT-DOWN VIDEOWALL STAND FOR SAMSUNG ALL-IN-ONE 110" IAB DISPLAY



The BT9172-SAM110 is a bolt-down mounting solution designed specifically for Samsung's The Wall All-in-One IAB 110" Series Display. A stylish design allows for a quick and easy installation utilising the Samsung All-in-One mounting brackets. A high-end aesthetic, anodised aluminium finish and integrated cable management ensures a smart and stylish installation.

SPECIFICATIONS

Dimensions (Without Cabinet)	W: 2005mm H: 1806mm D: 227mm
Dimensions (With Cabinet)	W: 2423.4mm H: 1806mm D: 277.8mm
Colour	Black
For indoor use only	

FEATURES

- 1 Configured specifically for the Samsung 110" IAB Series All-in-One Display
- 2 Incorporates Samsung 110" All-in-One IAB Series mounting brackets
- 3 Quick and easy installation
- 4 Small footprint ideal for retail applications where floor space is limited
- Created from System X components
- Open frame allows panel access for easy servicing and maintenance
- Pre-assembly of major parts for quick and easy installation
- Integrated cable management for a neat and tidy install
- All mounting hardware included



BT9170-SAM130

FREESTANDING VIDEOWALL STAND FOR SAMSUNG ALL-IN-ONE 130" IAC DISPLAY


The BT9170-SAM130 is a freestanding mounting solution designed specifically for Samsung's All-in-One IAC 130" LED Display. A stylish design allows for a quick and easy installation utilising the Samsung All-in-One mounting brackets. A high-end aesthetic, anodised aluminium finish and integrated cable management ensures a smart and stylish installation. Orders are fulfilled within a short lead time thanks to our extensive collection of stocked B-Tech components.

SPECIFICATIONS

Dimensions (Without Cabinet) W: **2755mm** H: **2500mm** D: **950mm**
 Dimensions (With Cabinet) W: **2898mm** H: **2500mm** D: **950mm**
 Colour **Black**
 For indoor use only

FEATURES

- 1 Designed for the Samsung All-in-One (IAC) 130" LED Display
 - 2 Incorporates Samsung 130" All-in-One IAC Series mounting brackets
 - 3 Quick and easy installation
 - 4 Adjustable levelling feet to accommodate uneven floor surfaces
- Created from System X components
 - Open frame allows panel access for easy servicing and maintenance
 - Pre-assembly of major parts for quick and easy installation
 - Integrated cable management for a neat and tidy install
 - All mounting hardware included
 - Add castors (BT8390-CASTORS) to create a mobile solution



BT9172-SAM130

BOLT-DOWN VIDEOWALL STAND FOR SAMSUNG ALL-IN-ONE 130" IAC DISPLAY



The BT9172-SAM130 is a bolt-down mounting solution designed specifically for Samsung's The Wall All-in-One IAC 130" Series Display. A stylish design allows for a quick and easy installation utilising the Samsung All-in-One mounting brackets. A high-end aesthetic, anodised aluminium finish and integrated cable management ensures a smart and stylish installation.

SPECIFICATIONS

Dimensions (Without Cabinet) W: **2755mm** H: **2406mm** D: **227mm**
 Dimensions (With Cabinet) W: **2897.9mm** H: **2428.7mm** D: **277.8mm**
 Colour **Black**
 For indoor use only

FEATURES

- 1 Configured specifically for the Samsung 130" IAC Series All-in-One Display
 - 2 Incorporates Samsung 130" All-in-One IAC Series mounting brackets
 - 3 Quick and easy installation
 - 4 Small footprint ideal for retail applications where floor space is limited
- Created from System X components
 - Open frame allows panel access for easy servicing and maintenance
 - Pre-assembly of major parts for quick and easy installation
 - Integrated cable management for a neat and tidy install
 - All mounting hardware included



BT9170-SAM146

FREESTANDING FLOOR STAND
FOR SAMSUNG ALL-IN-ONE 146" IAB DISPLAY


The BT9170-SAM146 is a freestanding mounting solution designed specifically for Samsung's The Wall All-in-One IAB 146" Series Display. A stylish design allows for a quick and easy installation utilising the Samsung All-in-One mounting brackets. A high-end aesthetic, anodised aluminium finish and integrated cable management ensures a smart and stylish installation.

SPECIFICATIONS

Dimensions (Without Cabinet)	3005 x 2500 x 950mm
Dimensions (With Cabinet)	3229 x 2500 x 950mm
Colour	Black
For indoor use only	

FEATURES

- 1 Designed specifically for the Samsung 146" IAB Series All-in-One
- 2 Incorporates Samsung 146" All-in-One IAB Series mounting brackets
- 3 Simple 'hook-on' installation
- 4 Floor base utilises adjustable levelling feet, ideal for uneven surfaces
- Created from System X components
- Open frame allows panel access for easy servicing and maintenance
- Pre-assembly of major parts for quick and easy installation
- Integrated cable management for a neat and tidy install
- All mounting hardware included
- Add castors (BT8390-CASTORS) to create a mobile solution



BT9172-SAM146

BOLT-DOWN VIDEOWALL STAND
FOR SAMSUNG ALL-IN-ONE 146" IAB DISPLAY


The BT9172-SAM146 is a bolt-down mounting solution designed specifically for Samsung's The Wall All-in-One IAB 146" Series Display. A stylish design allows for a quick and easy installation utilising the Samsung All-in-One mounting brackets. A high-end aesthetic, anodised aluminium finish and integrated cable management ensures a smart and stylish installation.

SPECIFICATIONS

Dimensions (Without Cabinet)	W: 3005mm H: 2406mm D: 227mm
Dimensions (With Cabinet)	W: 3229.3mm H: 2406mm D: 277.8mm
Colour	Black
For indoor use only	

FEATURES

- 1 Configured specifically for the Samsung 146" IAB Series All-in-One Display
- 2 Incorporates Samsung 146" All-in-One IAB Series mounting brackets
- 3 Quick and easy installation
- 4 Small footprint ideal for retail applications where floor space is limited
- Created from System X components
- Open frame allows panel access for easy servicing and maintenance
- Pre-assembly of major parts for quick and easy installation
- Integrated cable management for a neat and tidy install
- All mounting hardware included



dvLED Mounting Solutions

Designed Specifically for Samsung dvLED Cabinets




Mounting solutions comprised of wall mounted, freestanding, mobile, bolt-down, ceiling, and floor-to-ceiling options, in a standard format all designed specifically for the Samsung LED cabinets. Contact technical@btechavmounts.com if you have a requirement for a configuration different to those shown.

Solutions available for all Samsung cabinets including...



IEA Cabinets



IWA Cabinets



IFR Cabinets

SAMSUNG LED VIDEOWALL MOUNT

BT9340-SAM

DIRECT VIEW LED VIDEOWALL WALL MOUNT




The BT9340-SAM is a wall-mounted solution suitable for all Samsung LED panels including, IEA, IEA-F & IER displays. As part of B-Tech's System X range of configurable dvLED mounting solutions, it is available to order in a range of common configurations such as 4x4 up to 8x8 depending on your needs. B-Tech's online dvLED configuration tool allows bespoke configurations to be specified online and promptly quoted, with orders fulfilled within a short lead time thanks to our extensive collection of stocked B-Tech components.

SPECIFICATIONS

Compatible Panels	Samsung LED panels
Panel fixing method	Front or Rear mounted*
Colour (Rails & Interface Arms)	Black
For indoor use only	

FEATURES

- 1 Designed specifically for Samsung dvLED panels in various configurations
- 2 Close to the wall install
- 3 Simple 'hook-on' installation
- 4 Bespoke configurations are available to order to your requirements
 - Assembled from off-the-shelf components for fast order fulfilment
 - Online configuration tool for quick turnaround of quotes
 - System can be extended to any required width for large installations
 - Open frame allows panel access for easy servicing and maintenance
 - Pre-assembly of major parts for quick and easy installation
 - All mounting hardware included



*Product image is indicative of a 5x5 configuration

*Hybrid mounting options allow for rear mounted fixings if required

www.btechavmounts.com

BT9370-SAM

FREESTANDING DIRECT VIEW LED VIDEOWALL STAND


The BT9370-SAM is a freestanding solution suitable for all Samsung LED panels including, IER-F, IFH & IFR displays. As part of B-Tech's System X range of configurable dvLED mounting solutions, it is available to order in a range of common configurations such 4x4 up to 8x8 depending on your needs. B-Tech's online dvLED configuration tool allows bespoke configurations to be specified online and promptly quoted, with orders fulfilled within a short lead time thanks to our extensive collection of stocked B-Tech components.

SPECIFICATIONS

Compatible Panels	Samsung LED panels
Panel fixing method	Front or Rear mounted*
Colour (Rails & Interface Arms)	Black
Colour (Columns)	Black or Silver
For indoor use only	

FEATURES

- 1
- Designed specifically for Samsung dvLED panels in various configurations
- 2
- Floor base utilises adjustable levelling feet, ideal for uneven surfaces
- 3
- Simple 'hook-on' installation
- 4
- Bespoke configurations are also available to order to your requirements
- Assembled from off-the-shelf components for fast order fulfilment
- Online configuration tool for quick turnaround of quotes
- System can be extended to any required width for large installations
- Open frame allows panel access for easy servicing and maintenance
- Pre-assembly of major parts for quick and easy installation
- All mounting hardware included



*Product image is indicative of a 5x5 configuration
*Hybrid mounting options allow for rear mounted fixings if required

BT9371-SAM

MOBILE DIRECT VIEW LED VIDEOWALL STAND



The BT9371-SAM is a mobile mounting solution suitable for all Samsung LED panels including, IWC, IWA & IWJ displays. As part of B-Tech's System X range of configurable dvLED mounting solutions, it is available to order as off-the-shelf solutions in a range of common configurations from 4x4 up to 8x8. B-Tech's online dvLED configuration tool allows alternative configurations to be specified online and promptly quoted, with orders fulfilled within a short lead time thanks to our extensive collection of stocked B-Tech components.

SPECIFICATIONS

Compatible Panels	Samsung LED panels
Panel fixing method	Front or Rear mounted*
Colour (Rails & Interface Arms)	Black
Colour (Columns)	Black or Silver
For indoor use only	

FEATURES

- 1
- Designed specifically for Samsung dvLED panels in various configurations
- 2
- Non-marking braked castors allow for convenient manoeuvrability
- 3
- Simple 'hook-on' installation
- 4
- Bespoke configurations are also available to order to your requirements
- Assembled from off-the-shelf components for fast order fulfilment
- Online configuration tool for quick turnaround of quotes
- System can be extended to any required width for large installations
- Open frame allows panel access for easy servicing and maintenance
- Pre-assembly of major parts for quick and easy installation
- All mounting hardware included



*Product image is indicative of a 5x5 configuration
*Hybrid mounting options allow for rear mounted fixings if required

BT9372-SAM

BOLT-DOWN DIRECT VIEW LED VIDEO WALL STAND



The BT9372-SAM is a bolt-down mounting solution suitable for all Samsung LED panels including, IEA, IEA-F & IER displays. As part of B-Tech's System X range of configurable dvLED mounting solutions, it is available to order as off-the-shelf solutions in a range of common configurations from 4x4 up to 8x8. B-Tech's online dvLED configuration tool allows alternative configurations to be specified online and promptly quoted, with orders fulfilled within a short lead time thanks to our extensive collection of stocked B-Tech components.

SPECIFICATIONS

Compatible Panels	Samsung LED panels
Panel fixing method	Front or Rear mounted*
Colour (Rails & Interface Arms)	Black
Colour (Columns)	Black or Silver
For indoor use only	

FEATURES

- 1 Designed specifically for Samsung dvLED panels in various configurations
- 2 Small footprint ideal for retail applications where floor space is limited
- 3 Simple 'hook-on' installation
- 4 Bespoke configurations are also available to order to your requirements
 - Assembled from off-the-shelf components for fast order fulfilment
 - Online configuration tool for quick turnaround of quotes
 - System can be extended to any required width for large installations
 - Open frame allows panel access for easy servicing and maintenance
 - Pre-assembly of major parts for quick and easy installation
 - All mounting hardware included



*Product image is indicative of a 5x5 configuration
*Hybrid mounting options allow for rear mounted fixings if required

BT9377-SAM

BOLT-DOWN RETRACTABLE BASE dvLED VIDEO WALL STAND



The BT9377-SAM Bolt-Down dvLED Mounting System features a retractable base for easy service access to display screens. The universal design is compatible with all Samsung LED panels including, IER-F, IFH & IFR displays and perfectly suits applications such as shop fronts and installations against windows. The retractable floor base enables seamless movement backwards of up to 400mm for easy servicing and maintenance of hardware. To configure your dvLED solution, Contact B-Tech's dedicated technical support team at technical@btechavmounts.com

SPECIFICATIONS

Compatible Panels	Samsung LED panels
Panel fixing method	Front mounted or Rear mounted
Max load	150kg per column
Base dimensions	W: 262mm H: 88mm D: 426-832mm
Maximum retraction	400mm
Colour	Black
For indoor use only	

FEATURES

- 1 Ideal for shop fronts, close-to-the-window installations
- 2 Sliding floor base retracts the System X column/display stand backwards
- 3 Simple 'hook-on' installation
- 4 B-Tech technical support available for configuration and quoting
 - Assembled from off-the-shelf components for fast order fulfilment
 - System can be extended to any required width for large installations
 - Open frame allows panel access for easy servicing and maintenance
 - Pre-assembly of major parts for quick and easy installation
 - Lockable mechanism
 - Internal storage area in base, ideal for power supplies, extension cord etc.
 - Integrated cable management
 - All mounting hardware included



*Product image is indicative of a 4x4 configuration
*Hybrid mounting options allow for rear mounted fixings if required

BT9342-SAM

CEILING MOUNTED
DIRECT VIEW LED VIDEOWALL



The BT9371-SAM is a ceiling solution suitable for all Samsung LED panels including, IER-F, IFH & IFR displays. As part of B-Tech's System X range of configurable dvLED mounting solutions, it is available to order as off-the-shelf solutions in a range of common configurations from 4x4 up to 8x8. B-Tech's online dvLED configuration tool allows alternative configurations to be specified online and promptly quoted, with orders fulfilled within a short lead time thanks to our extensive collection of stocked B-Tech components.

SPECIFICATIONS

Compatible Panels	Samsung LED panels
Panel fixing method	Front or Rear mounted*
Colour (Rails & Interface Arms)	Black
Colour (Poles & Ceiling Mounts)	Black, White or Chrome
For indoor use only	

FEATURES

- 1 Designed specifically for Samsung dvLED panels in various configurations
- 2 Small footprint ideal for retail applications where ceiling space is limited
- 3 Simple 'hook-on' installation
- 4 Bespoke configurations are also available to order to your requirements
 - Assembled from off-the-shelf components for fast order fulfilment
 - Online configuration tool for quick turnaround of quotes
 - System can be extended to any required width for large installations
 - Open frame allows panel access for easy servicing and maintenance
 - Pre-assembly of major parts for quick and easy installation
 - All mounting hardware included



*Product image is indicative of a 5x5 configuration
*Hybrid mounting options allow for rear mounted fixings if required

BT9344-SAM

FLOOR-TO-CEILING DIRECT VIEW LED
VIDEOWALL MOUNT




The BT9344-SAM is a floor-to-ceiling mounting solution suitable for all Samsung LED panels including, IWC, IWA & IWJ displays. As part of B-Tech's System X range of configurable dvLED mounting solutions, it is available to order as off-the-shelf solutions in a range of common configurations from 4x4 up to 8x8. B-Tech's online dvLED configuration tool allows alternative configurations to be specified online and promptly quoted, with orders fulfilled within a short lead time thanks to our extensive collection of stocked B-Tech components.

SPECIFICATIONS

Compatible Panels	Samsung LED panels
Panel fixing method	Front or Rear mounted*
Colour (Rails & Interface Arms)	Black
Colour (Poles & Ceiling Mounts)	Black, White or Chrome
For indoor use only	

FEATURES

- 1 Designed specifically for Samsung dvLED panels in various configurations
- 2 Small footprint ideal for applications where floor & ceiling space is limited
- 3 Simple 'hook-on' installation
- 4 Bespoke configurations are also available to order to your requirements
 - Assembled from off-the-shelf components for fast order fulfilment
 - Online configuration tool for quick turnaround of quotes
 - System can be extended to any required width for large installations
 - Open frame allows panel access for easy servicing and maintenance
 - Pre-assembly of major parts for quick and easy installation
 - All mounting hardware included



*Product image is indicative of a 5x5 configuration
*Hybrid mounting options allow for rear mounted fixings if required

Digital Signage Mounting Solutions



With more screens featuring in retail environments than ever before, the need for a comprehensive range of specialist mounting solutions is apparent.

Custom built kiosks can be ordered directly from B-Tech upon request, whilst a range of screen enclosures are available in 3 screen sizes that are used in conjunction with a B-Tech screen mount and mounting components. In addition to videowalls, single screens and specialist signage, displays such as Samsung’s double-sided OMN-D Series are being installed into retail outlets. Our range of specialist mounting solutions includes various options catering to the applications often required.

For complete product specifications, including technical drawings and colour options, scan the QR code for each product to view the online page.

BT7000

SINGLE SCREEN DIGITAL SIGNAGE KIOSK

The BT7000 is a display kiosk designed to portrait mount a single digital signage screen. A rigid chassis is fixed to a heavy duty steel base which can be used freestanding or bolted to the floor and is finished stylishly with satin black or white outer covers. The internal mounting system is made up of parts from our System X range, allowing micro-adjustment to ensure the mounted screen sits perfectly level and flush with the front opening of the kiosk, which is laser cut to match your screen size.

SPECIFICATIONS

Recommended screen size	27" to 86"*
Max load	50kg
VESA® compatibility	200 x 200 up to 600 x 400
Dimensions	W : 770mm H : 1850mm D : 172mm*
Base dimensions	W : 520mm H : 8mm D : 790mm*
Colour option	Black or White

FEATURES

- 1 Tool-less micro-adjustments at for seamless screen alignment
 - 2 Removable front and rear panels for easy installation and maintenance
 - 3 Vented top and rear panels allow airflow to and from the device
 - 4 Kiosks can be branded with your company logo if required
- High-end aesthetic quality with a premium satin finish
 - Suitable for portrait mounting
 - Integrated cable management
 - 8mm thick heavy duty steel base
 - Can be used freestanding or bolted to the floor
 - Lockable top panel helps prevent unauthorised removal of the screen
 - Internal storage area in lower section for media players and devices
 - Simple 'hook-on' screen installation
 - For indoor use only

RECOMMENDED MAX SCREEN	MAX LOAD	MAX VESA	MICRO ADJUSTMENT	COLOUR OPTIONS	QR CODE
86" 218cm	50kg	600 x 400			



*Please note dimension applies to screens 27" - 86" (as shown). Kiosk dimensions for other screen sizes may differ - Contact B-Tech for details



BT7001

BACK-TO-BACK
PORTRAIT DIGITAL SIGNAGE KIOSK

The BT7001 is a display kiosk designed to portrait mount two digital signage screens in a back-to-back configuration. A rigid chassis is fixed to a heavy duty steel base which can be used freestanding or bolted to the floor and is finished stylishly with satin black or white outer covers. The internal mounting system is made up of parts from our System X range, allowing micro-adjustment to ensure the mounted screens sit perfectly level and flush with the front and rear opening of the kiosk, which is laser cut to match your screen size.

SPECIFICATIONS



Recommended screen size	27" to 86"*
Max load	50kg
VESA compatibility	200 x 200 up to 600 x 400
Dimensions	W : 770mm H : 1850mm D : 172mm*
Base dimensions	W : 520mm H : 8mm D : 790mm*
Colour option	Black or White

FEATURES

- 1 Tool-less micro-adjustments at for seamless screen alignment
- 2 Removable front and rear panels for easy installation and maintenance
- 3 Simple 'hook-on' screen installation
- 4 Kiosks can be branded with your company logo if required
- High-end aesthetic quality with a premium satin finish
- Vented top panels allow airflow to and from the device
- Suitable for portrait mounting
- Integrated cable management
- 8mm thick heavy duty steel base
- Can be used freestanding or bolted to the floor
- Lockable top panel helps prevent unauthorised removal of the screen
- Internal storage area in lower section for media players and devices
- For indoor use only



RECOMMENDED MAX SCREEN	MAX LOAD PER SCREEN	MAX VESA	MICRO ADJUSTMENT	COLOUR OPTIONS	
86" 218cm	50kg	600 x 400			



*Please note dimension applies to screens 27" - 86" (as shown). Kiosk dimensions for other screen sizes may differ - Contact B-Tech for details

BT7002

ULTRA-SLIM SINGLE SCREEN
DIGITAL SIGNAGE KIOSK

The BT7002 is an ultra-slim display kiosk designed to portrait mount a single digital signage screen. A rigid chassis is fixed to a heavy duty steel base which can be used freestanding or bolted to the floor and is finished stylishly with satin black or white outer covers. The internal mounting system is made to ensure the mounted screen sits perfectly level and flush with the front opening of the kiosk, which is laser cut to match your screen size.

SPECIFICATIONS

Recommended screen size	27" to 86"*
Max load	50kg
VESA compatibility	200 x 200 up to 600 x 400
Dimensions	W : 804mm H : 1804mm D : 120mm
Base dimensions	W : 804mm H : 5mm D : 450mm
Colour option	Black or White

FEATURES

- 1 Suitable for portrait mounting
- 2 Can be used freestanding or bolted to the floor
- 3 Removable front and rear panels for easy installation and maintenance
- 4 Internal storage area for AV equipment
- High-end aesthetic quality with a premium satin finish
- Integrated cable management
- Ultra-slim chassis design only 104mm deep
- 5mm thick heavy duty steel base
- Lockable top panel helps prevent unauthorised removal of the screen
- Vented top and rear panels allow airflow to and from the device
- Simple 'hook-on' screen installation
- Kiosks can be branded with your company logo if required
- For indoor use only

RECOMMENDED MAX SCREEN	MAX LOAD PER SCREEN	MAX VESA	COLOUR OPTIONS	
86" 218cm	50kg	600 x 400		



*Please note dimension applies to screens 27" - 86" (as shown). Kiosk dimensions for other screen sizes may differ - Contact B-Tech for details



BT7901

SCREEN ENCLOSURES
USE WITH A B-TECH SCREEN MOUNT
AND MOUNTING COMPONENTS

Designed to fit screens up to 65", the BT7901 is a stylish, adjustable enclosure that fits around the screen, creating an attractive cover and a tidy solution when floor or ceiling mounting a portrait display. Supporting weights up to 50kg, the BT7901 is intended for use with B-Tech's BT8441 Flat Screen Wall Mount and can be paired with any of our trolleys, floor stands, poles, or columns. Easy-to-use cable management ensures a neat and tidy installation.

SPECIFICATIONS

Recommended screen size	43" up to 65" (More information below)
Max load	50kg
Colour	Black

FEATURES

- 1 Requires BT8441 Flat Screen Wall Mount and compatible B-Tech trolley, stand, pole or column (sold separately)
- 2 Adjustable width to accommodate screens up to 65"
- 3 Open top and bottom allows airflow too and from the screen
- 4 Removable 2-piece cover for easy maintenance and installation
- Use spacers provided with the BT8441 to set the depth of the screen*
- Designed for mounting screens in portrait orientation
- Available from stock for a fast turnaround
- For indoor use only

Enclosure available in 3 screen sizes

BT7901-4350	43" - 50" Screens
BT7901-55	55" Screens
BT7901-65	65" Screens


SCREEN SIZE

65"
165cm

MAX LOAD

50kg

COLLAR COMPATIBLE



*Note: BT7901 provides a 60mm (2.36") depth to fit the screen. If the screen is too shallow, use the spacers provided with the BT8441 screen fixings to set product depth.

BT8390-RCP-OM55N

REAR COVER
FOR USE WITH SAMSUNG OM55N-S SERIES


Designed specifically for Samsung OM55N Displays, this enclosure fits around the screen, creating an attractive cover and a tidy solution when floor or ceiling mounting. BT8390-RCP-OM55N can be paired with any of our trolleys, floor stands, poles, or columns. The enclosure ensures a neat and tidy install for the display and any AV devices.

SPECIFICATIONS

Designed for	Samsung OM55N-S Displays
VESA	400 x 400mm
Dimensions	W: 729.2mm H: 1258.4mm D: 118.9mm
Colour	Black

FEATURES


- Designed specifically for Samsung OM55N-S Displays
- 1 Compatible with B-Tech trolleys, stands, poles and columns (sold separately)
- 2 Vented structure allows airflow to and from the display
- 3 Removable 2-piece cover for easy maintenance and installation
- 4 For indoor use only
- Approved by Samsung



MAX VESA

400
x
400

COLLAR COMPATIBLE



BT8326
FLOOR MOUNT FOR SAMSUNG
OM55N-D 55" DOUBLE SIDED DISPLAYS


Designed to floor mount Samsung's OM55N-D, 55" double sided SMART signage display in a portrait orientation, the BT8326 has a minimal yet robust design with a high-end aesthetic and provides easy access to the screen's inputs. BT8326's space saving design features integrated cable management making it ideal for shop front windows and other commercial installations.

SPECIFICATIONS

Designed for	Samsung OM55N-D 55" Display
Max load	50kg
Distance from floor to centre of the screen	1326mm
Colour	Black

FEATURES

- Designed to floor mount Samsung's OM55N-D 55" SMART Signage Display
- 1 Integrated cable management
- 2 Slim design ideal for shop front windows and other commercial installations
- 3 Robust design with minimal footprint
- 4 Ceiling-mounted option also available (BT8325)
- Suitable for portrait mounting
- For indoor use only



BT8325
CEILING MOUNT FOR SAMSUNG
OM55N-D 55" DOUBLE SIDED DISPLAYS




Designed to ceiling mount Samsung's OM55N-D, 55" double sided SMART signage display in a portrait orientation, the BT8325 has a minimal yet robust design with a high-end aesthetic and provides easy access to the screen's inputs. BT8325's space saving design features integrated cable management making it ideal for shop front windows and other commercial installations.

SPECIFICATIONS

Designed for	Samsung OM55N-D 55" Display
Max load	50kg
Ceiling drop to the centre of the screen	1373mm
Colour	Black

FEATURES

- 1 Integrated cable management for a neat and tidy install
- 2 Slim design ideal for shop front window displays and other commercial installations
- 3 Robust, minimal design
- Ceiling adaptor available (BT8327) to extend ceiling drop
- Specifically designed to ceiling mount Samsung's OM55N-D 55" SMART Signage Display
- Suitable for portrait mounting
- For indoor use only




BT8327
SYSTEM 2 ADAPTOR
FOR USE WITH BT8325 SAMSUNG
OM55N-D 55" DOUBLE SIDED DISPLAYS

Designed for use with B-Tech's BT8325 Ceiling Mount for Samsung OM55N-D Series double-sided display. The BT8327 works alongside additional System 2 components, BT7822 Ceiling Mount and BT7850 Poles to create a custom solution that allows the BT8325 to be hung at variable heights from the ceiling. Poles are available from 0.5m - 3m and can be joined with our Pole Joiners or cut to a specific length.



Additional Displays

Universal Mounting Solutions






B-Tech's range of professional screen wall mounts, ceiling mounts and trolleys is a comprehensive collection with various fixed, tilt, full motion and pop-out solutions for Samsung screens ranging from 10" to 120".

Many features can be found on products throughout the range, including designs for making installation as straightforward as possible. Additionally, many products are compatible with the B-Tech's System 2 and System X modular ranges using accessory collars, which allow them to be used for ceiling or other pole-mounted applications. Compatible with a wide variety of Samsung displays.

Please note, max screen sizes are recommendations only and it may be possible to mount other sizes; please refer to the screen's weight and mounting pattern to find the best compatible mount.

For complete product specifications, including technical drawings and colour options, scan the QR code for each product to view the online page.



BT7611
UNIVERSAL E-PAPER WALL MOUNT
WITH TILT


The BT7611 is a wall mounting solution designed for E-Paper displays and standard flat screens up to 43". With a re-configurable ultra-slim design, the mount delivers a low profile installation while offering flexible tilt adjustment for precise screen positioning. Engineered with versatility in mind, the BT7611 can be configured in multiple ways: as a fixed flat-to-wall mount, a tool-less tilt mount, or as a compact pull-out mount for easy access and maintenance. The hook-on design and keyhole mounting ensures a quick installation, while locking screws provide additional security in public environments.

SPECIFICATIONS

Max recommended screen size	43"
Max load	10kg
VESA® fixings	up to 200 x 200
Closed dimensions	W: 220mm H: 261mm D: 18.5mm
Depth from wall	18.5mm
Tilt	10° upward / 10° downward
Colour options	Black or White

FEATURES

- 1 Ultra-slim design for discreet wall mounting
- 2 Tool-less tilt for quick adjustment to the viewing angle or use the included micro-adjustment screw when more precision is needed
- 3 Service position provides rear access to the display for maintenance
- 4 Mounts displays in a portrait or landscape orientation
 - Tilt screw can be removed for tool-less adjustment and fast access to service position
 - Re-configurable into a flat pull-out tool-less configuration
 - Lockable at 0° or set to the desired tilt angle
 - Can be installed to allow for upward or downward tilt
 - Hook-on design for quick installation
 - Compatible with B-Tech collars for pole-mounted installations
- 100% plastic free packaging




RECOMMENDED MAX SCREEN	MAX LOAD	MAX VESA	TILT	
43" 109cm	10kg	200 x 200	10° 10°	

BT7611-SAM32
WALL MOUNT WITH TILT
FOR SAMSUNG 32" E-PAPER

The BT7611-SAM32 is an ultra-slim, adjustable wall mount designed specifically for the Samsung 32" E-Paper EMDX display. Its discreet, low-profile design makes it ideal for retail, wayfinding, and other public spaces.

SPECIFICATIONS

Tilt	10° upward / 10° downward
Max dimensions for power bank	W: 150mm H: 150mm D: 23mm



Official Mounting Partner for
SAMSUNG
E-Paper



BT7612
UNIVERSAL E-PAPER STAND
WITH TILT


The BT7612 is a stylish, freestanding floor stand designed for E-Paper and standard displays up to 43". Featuring a minimalist design and practical functionality, the stand provides an elegant solution for presenting a single screen in public or commercial environments. Supplied with all necessary mounting components, the stand offers a quick, straightforward installation with options to remove the base cover or to bolt directly to the floor. Ideal for retail, wayfinding, and digital signage, the BT7612 combines modern style with everyday practicality to deliver maximum impact within a compact footprint.

SPECIFICATIONS

Max recommended screen size	43"
Max load	10kg (7kg with base cover removed)
VESA® fixings	up to 200 x 200
Tilt	35° upward / 35° downward
Stand dimensions	W: 470mm H: 1232mm D: 470mm
Max storage area load	1kg
Max storable power bank size	W: 190mm H: 108mm D: 28mm
Height adjustable feet	+15mm
Colour options	Black or White

FEATURES

- 1 Simple tilt adjustment for optimal viewing angles
- 2 Lockable storage compartment provides access for connecting devices
- 3 Available in Black or White colour options
- 4 For an alternative aesthetic, use without optional base cover
 - Integrated cable management allows small connectors, such as figure-8 and HDMI, to be neatly routed through the base for a clean installation
 - Kensington Lock slot (lock not included) for enhanced theft protection
 - Floor-fix capability if required (fixings not included)
 - Mounts screen in both portrait and landscape* orientation
 - Height-adjustable feet ensure stability on uneven surfaces
 - Provision for fixing a lighting bar
 - For indoor use only
- 100% plastic free packaging



RECOMMENDED MAX SCREEN	MAX LOAD	MAX VESA	TILT	
43" 109cm	10kg	200 x 200	35° 35°	

BT7612-SAM32
FLOOR STAND
WITH TILT AND SECURITY COVER
FOR SAMSUNG 32" E-PAPER

The BT7612-SAM32 is a freestanding floor stand designed specifically for a single Samsung 32" E-Paper EMDX display.

SPECIFICATIONS

Dimensions without screen (Portrait)	W: 470mm H: 1442mm D: 470mm
Tilt	35° upward / 35° downward
Max storable power bank size	W: 190mm H: 108mm D: 28mm



Official Mounting Partner for
SAMSUNG
E-Paper



BT7613
BACK-TO-BACK
UNIVERSAL E-PAPER STAND
WITH TILT


The **BT7613** is a stylish freestanding floor stand designed to hold two E-Paper displays back-to-back. With its minimalist aesthetic and practical design, it provides an elegant solution for presenting content to audiences on both sides, making it ideal for open public and commercial spaces. The stand is supplied with all required mounting components for a quick and straightforward installation with options to remove the base cover or to bolt the stand directly to the floor. Perfect for retail, wayfinding, and digital signage, the BT7613 maximises visibility to deliver maximum impact within a compact footprint.

SPECIFICATIONS

Max recommended screen size	43"
Max load	10kg (7kg with base cover removed)
VESA® fixings	up to 200 x 200
Tilt in portrait orientation*	10° upward / 10° downward
Tilt in landscape orientation*	20° upward / 20° downward
Stand dimensions	W: 470mm H: 1265mm D: 470mm
Max storage area load	1kg
Max storable power bank size	W: 190mm H: 108mm D: 28mm
Height adjustable feet	+15mm
Colour options	Black or White

FEATURES

- 1 Back-to-back stand available in Black or White colour options
- 2 Simple tilt adjustment for optimal viewing angles
- 3 Lockable storage compartment provides access for connecting devices
- 4 For an alternative aesthetic, use without optional base cover
- Mounts screens in both portrait and landscape orientation
- Built-in cable management
- Kensington Lock slot (lock not included) for enhanced theft protection
- Floor-fix capability if required (fixings not included)
- Height-adjustable feet ensure stability on uneven surfaces
- Provision for fixing a lighting bar
- For indoor use only
- 100% plastic free packaging



BT7613-SAM32
BACK-TO-BACK STAND
WITH TILT AND SECURITY COVER
FOR SAMSUNG 32" E-PAPER

The **BT7613-SAM32** is a freestanding floor stand designed to mount two Samsung 32" E-Paper EMDX displays back-to-back.

SPECIFICATIONS

Dimensions without screen (Portrait)	W: 478mm H: 1468mm D: 470mm
Recommended max tilt	15° upward / 15° downward
Max storable power bank size	W: 190mm H: 108mm D: 28mm



Official Mounting Partner for
SAMSUNG
E-Paper

BT8547
FLAT SCREEN TROLLEY
WITH FLIP ROTATION FOR SAMSUNG FLIP

Part of **B-Tech's Momentum Range** of mobile display solutions, the **BT8547** Momentum Flip is a modern, user-friendly touchscreen trolley designed specifically for mounting Samsung Flip displays from 55" to 65", delivering seamless flexibility for classrooms, meeting rooms and collaborative workspaces. A smooth 90° rotational interface allows effortless switching between portrait and landscape orientations, while two manual preset height positions provide adaptable viewing, and the sleek white finish perfectly complements the Samsung Flip for a clean, professional aesthetic. Featuring ergonomic handles and 100mm braked castors for easy manoeuvrability and a cable management system for a tidy installation, this mobile solution has been designed for a rapid install that enables assembly in under 10 minutes. The BT8547 offers a practical, stylish and highly adaptable display mount for dynamic presentation environments.


SPECIFICATIONS

Recommended screen size	55" up to 65"
Max load	50kg
VESA® fixings	400 x 400
Tilt	4.5°
Rotation	90°
Adjustable height (centre of screen)	1270mm / 1426mm
Dimensions	W: 748mm H: 1596mm D: 660mm
Colour	White

FEATURES

- 1 Interface smoothly rotates from landscape to portrait (and vice versa)
- 2 Designed for easy movement with integrated handles
- 3 Equipped with large Ø 100mm non-marking locking (braked) castors
- 4 Internal cable management system
- Allows installation at two selectable screen heights
- -4.5° negative tilt provides an ergonomic, natural writing surface
- Simple 'hook-on' screen installation with all mounting hardware included

RECOMMENDED MAX SCREEN	MAX LOAD	MAX VESA	TILT	ROTATION	HEIGHT ADJUSTMENT	
65" 165cm	50kg	400 x 400	4.5°	90°		



BT7550
ROTATIONAL FLIP MOUNT
FOR SAMSUNG FLIP™


The BT7550 Rotational Flip Mount is designed to mount Samsung's Flip and Flip Pro interactive displays allowing easy rotation from landscape to portrait orientation while mounted to a wall. Tool-less rotation adjustment allows users to rotate the screen both clockwise & counter-clockwise & fix at any angle from 0° - 90°, angle guides are included to help set the desired rotation of your screens. The BT7550 can be mounted directly to the wall or attached to other mounts in the B-Tech range for additional features such as pop-out mounting. Pole mounting using System 2 collars or directly to System X solutions can also be done easily. To mount the Samsung 55" and 65" WMR / WMB Series, the BT7550 must be used in conjunction with BT7550-SF2 adaptor arms.

SPECIFICATIONS

Recommended screen size	37"- 65"
Max load	70kg
VESA fixings	up to 400 x 400
Rotation adjustment range	90°
Tilt	-4.5°
Colour options	Black or White

FEATURES

- Allows mounted screens to rotate from landscape to portrait orientation (or vice versa) - Ideal for the Samsung Flip™ or other similar touch screens
- To mount Samsung Flip WMR / WMB 55" and 65" displays the BT7550 must be used in conjunction with BT7550-SF2 adaptor arms
- Tool-less, rotation adjustment can be set before or after installation
- Rotation can be stopped and fixed at any angle between 0° and 90°
- Includes angle guides to help set the desired rotation of your screen
- Can be used to mount screens directly to walls
- Can also be mounted to standard B-Tech mounts, pole mounted using System 2 collars or directly to System X solutions
- Features a negative tilt of 4.5 degrees for easier use of touchscreens
- Simple installation with all mounting hardware included




RECOMMENDED MAX SCREEN	MAX LOAD	MAX VESA	ROTATION	
65" 165cm	70kg	400	90°	

BT7550-SF2
INTERFACE ADAPTOR ARMS
FOR SAMSUNG WMR & WMB FLIP DISPLAYS

The BT7550-SF2 interface arms are designed to mount Samsung Flip™ 2 WMR & Flip Pro WMB series of interactive displays to B-Tech's flip rotation mounts. The interface arms come with all fixing screws required to mount the display and are compatible with both 55" and 65" models.

SPECIFICATIONS

VESA compatibility	400 x 400
Max load	40kg
Colour	Black



MAX LOAD	MAX VESA	
40kg	400	

BT8566
FLAT SCREEN TROLLEY
WITH FLIP ROTATION
FOR SAMSUNG FLIP™

As part of B-Tech's Designer Trolley range, the BT8566 is a high-end mounting solution ideal for the use of touch screen displays such as the Samsung Flip and Flip Pro interactive displays. The mount's rotational interface allows the user to easily rotate the display 90° for a smooth transition from landscape to portrait. Available in a choice of black, silver and white. Cable management keeps finished installations looking neat and tidy. Non-marking, braked castors make repositioning quick and easy without marking or scuffing floor surfaces and AV components such as shelves can be fitted directly to the column to accessorise the install. To mount the Samsung 55" and 65" WMR / WMB Series, the BT8566 must be used in conjunction with BT7550-SF2 adaptor arms.


SPECIFICATIONS

Recommended screen size	37"- 75"
Max load	70kg
VESA fixings	up to 600 x 400
Trolley dimensions	W: 1075mm H: 1932mm* D: 863mm
Rotation adjustment range	90°
Tilt	-4.5°
Colour options	Black, Black & Silver or White

FEATURES

- 1 Allows mounted screens to rotate from landscape to portrait orientation (or vice versa) - Ideal for the Samsung Flip™ or other similar touch screens
 - 2 -4.5° negative tilt provides an ergonomic, natural writing surface
 - 3 Dual colour options available for a modern, contemporary look
 - 4 Non-marking locking / braked castors
- Rotation can be stopped or fixed at any angle between 0° and 90°
 - Collar compatible accessories can be fit directly to the column
 - Integrated cable management for a smart installation
 - Safety screws help prevent unauthorised removal of screen
 - Simple 'hook-on' screen installation
 - To mount Samsung Flip 2 WMR & Flip Pro WMB 55" and 65" displays the BT8566 must be used in conjunction with BT7550-SF2 adaptor arms

RECOMMENDED MAX SCREEN	MAX LOAD	MAX VESA	ROTATION	
75" 190cm	70kg	600 x 400	90°	




*For Samsung WMR and WMB 55" / 65" displays use with BT7550-SF2 adaptor arms
**Measured from the floor to the top of the vertical column (including end cap)

■ **BT8562**
Flat Screen Trolley



RECOMMENDED MAX SCREEN	MAX LOAD	MAX VESA	
75" 190cm	70kg	600 x 400	



■ **BT8564**
XL Flat Screen Trolley



RECOMMENDED MAX SCREEN	MAX LOAD	MAX VESA	
120" 305cm	130kg	1000 x 600	



■ **BT8226**
Double Arm Flat Screen Wall Mount
With Tilt & Swivel



RECOMMENDED MAX SCREEN	MAX LOAD	MAX VESA	
65" 165cm	35kg	600 x 400	



■ **BT8228**
Heavy Duty Twin Cantilever Arm
Flat Screen Wall Mount




RECOMMENDED MAX SCREEN	MAX LOAD	MAX VESA	
120" 305cm	125kg	800 x 600	




Flat Screen Trolley / Tilt & Swivel Wall Mounts										
Model Number	Mount	Recommended Screen Size	Max Load	Max VESA	Tilt	Swivel	Lateral Shift	Distance From Wall	Landscape Mounting	Portrait Mounting
BT8562	Trolley	37" - 75"	70kg	600x400	N/A	N/A	✓	N/A	✓	✓
BT8564	Trolley	65" - 120"	130kg	1000x600	N/A	N/A	✓	N/A	✓	N/A
BT8226	Wall, Double Arm	32" - 65"	35kg	600x400	+14°/-3°	+180°	✓	50-574mm	✓	✓
BT8228	Wall, Double Arm	65" - 120"	125kg	800x600	-3°/+15°	130°	✓	90-628mm	✓	✓

■ BT7883
Wall Mount
With Slide-Out Storage Tray



■ BT7885
Wall Mount
With Pull-Down Storage Tray



■ BT8312
Slimline Soft-Open
Full Service Videowall Mount



■ BT8310XL
Heavy Duty Pop-Out
Flat Screen Wall Mount



AV Storage / Videowall Mounting Systems										
Model Number	Mount	Recommended Screen Size	Max Load	Max VESA	Tilt	Rotation	Lateral Shift	Distance From Wall	Landscape Mounting	Portrait Mounting
BT7883	Wall, Storage	46" - 75"	70kg	600x400	N/A	N/A	☑	100mm	☑	N/A
BT7885	Wall, Storage	49" - 86"	70kg	600x400	N/A	N/A	☑	100mm	☑	N/A
BT8312	Wall, Pop-Out	42" - 75"	50kg	600x400	N/A	N/A	☑	70mm-223mm	☑	☑
BT8310XL	Wall, Pop-Out	42" - 120"	125kg	600x400	N/A	N/A	☑	101mm-293mm	☑	☑

■ BT8330
Menu Board Mounting System
With Tilt*



RECOMMENDED
MAX SCREEN

75"
190cm

MAX
LOAD


50kg
per screen

MAX
VESA

900

*Alternative interface arms available from the System X range, including fixed and micro-adjustment

■ BT8331
Pop-Out Menu Board Mounting System



RECOMMENDED
MAX SCREEN

75"
190cm

MAX
LOAD

50kg
per screen

MAX
VESA

900

■ BT8332
Ceiling Mounted
Menu Board Mounting System
With Tilt*



RECOMMENDED
MAX SCREEN

75"
190cm

MAX
LOAD


50kg
per screen

MAX
VESA

900

*Alternative interface arms available from the System X range, including fixed and micro-adjustment

■ BT8333
Ceiling Mounted Curved
Menu Board Mounting System



RECOMMENDED
MAX SCREEN

75"
190cm

MAX
LOAD

50kg
per screen

MAX
VESA

900

Menu Board Mounting Systems										
Model Number	Mount	Recommended Screen Size	Max Load (Per Screen)	Max VESA	Tilt	Lateral Shift	Micro Adjustment (Depth)	Micro Adjustment (Height)	Angel Adjustment (Curved)	Distance From Wall / Ceiling
BT8330	Wall	32"-75"	50kg	900	+20°	☑	+/-10mm	+/-20mm	N/A	58.4mm
BT8331	Wall, Pop-Out	32"-75"	50kg	900	N/A	☑	+/-10mm	+/-20mm	N/A	105.4 - 332mm
BT8332	Ceiling	32"-75"	50kg	900	+20°	☑	+/-10mm	+/-20mm	N/A	0.5m - 3m Drop
BT8333	Ceiling	32"-75"	50kg	900	N/A	☑	+/-10mm	+/-20mm	+45°	0.5m - 3m Drop

United Kingdom
+44 (0)1327 300 787

uk@btechavmounts.com

Belgium
+32 (0)2 720 9271

europe@btechavmounts.com

Germany
+49 (0)3322 50 792 50

dach@btechavmounts.com

Spain
+34 93 640 24 79

iberia@btechavmounts.com

Americas
+1 888 792 8188

americas@btechavmounts.com

MEAI
+65 3159 1604

meai@btechavmounts.com

Singapore
+65 3159 1604

apac@btechavmounts.com

China
(+86) 574 8810 3861

china@btechavmounts.com

South Korea
+82 (0) 2 862 3165

korea@btechavmounts.com

Vietnam
+84 (0)24 3201 3418

vietnam@btechavmounts.com

For full details of all B-Tech offices, please visit www.btechavmounts.com/contact-us or scan here:



© 2026 B-Tech AV Mounts Corporation Ltd. All rights reserved.

The information in this brochure reflects the current technical specifications at the time of print. We reserve the right to change the technical or physical specifications without prior notice. System X and System 2 are trademarks of B-Tech AV Mounts Corporation Ltd., B-Tech AV Mounts and the B-Tech logo, are all registered trademarks. All B-Tech images and symbols are exclusive property of B-Tech AV Mounts Corporation Ltd. All other brands and products are trademarks of their respective owners. B-Tech accept no liability for loss or damage caused by improper installation or mounting on unstable structures.

E&OE.

Disclaimer

B-Tech security fasteners are designed as a security deterrent only. B-Tech, B-Tech distributors & B-Tech resellers accept no liability for loss or resulting costs incurred from the theft, attempted theft or unauthorised removal of any item(s) mounted using B-Tech security fasteners. Security screw removal tools are widely available & all B-Tech security fasteners are intended as a deterrent to the opportunist thief only.

B-Tech AV Mounts is part of the



GLOBAL MOUNTS GROUP

www.globalmountsgroup.com



Designed & Engineered
in the UK

CASAM-2026-V1-280426-ENG