



vantage



Wall Mounting Solutions

www.btechavmounts.com

B-TECH WALL MOUNTING SOLUTIONS

B-Tech's range of professional screen wall mounts is a comprehensive collection with various fixed, tilt and full motion solutions for screens ranging from 10" to 120".

Many features can be found on products throughout the range, including designs for making installation as straightforward as possible. Additionally, many products are compatible with the B-Tech's System 2, System X and System V modular ranges using accessory collars, which allow them to be used for ceiling or other pole-mounted applications. Please note, max screen sizes are recommendations only and it may be possible to mount other sizes; please refer to the screen's weight and mounting pattern to find the best compatible mount. For complete product specifications, including technical drawings and assembly manuals, scan the QR code for each product to view the online page.




CONTENTS

vantage

Vantage - Compact

pg.4-5



Vantage - Single & Double

pg.6-7



Vantage - Other Products

pg.8-11



FLAT SCREEN WALL MOUNTS



B-Tech Vantage mounts are premium articulating mounts with exceptional build quality, combining strength and versatility. Featuring UltraGlide technology allowing users to reposition displays effortlessly.

Key Features

- Designed for an easy 1-2-3 step installation
- Mounts supplied pre-assembled
- Simple 'hook-on' screen mounting
- All mounting hardware included
- Suitable for landscape or portrait mounting
- Universal mounts feature lateral adjustment of the screen once mounted
- Brackets utilise various security features to prevent easy removal of the screen with safety screws or locking bar included
- Cover plates and cable management are included with swing arm mounts
- A large selection of mounts are compatible with System 2 and System X ranges suitable for both pole and column mounting

vantage • compact 100

BT7518 FLAT SCREEN WALL MOUNT WITH TILT & SWIVEL


SPECIFICATIONS

Recommended screen size	up to 28"
Max load	10kg
VESA® compatibility	50 x 50, 75 x 75 & 100 x 100
Distance from wall	64mm
Tilt	15° upward / 10° downward
Swivel	59°
Screen rotation	360°

FEATURES

- 1 B-Tech's **UltraGlide Tilt** technology allows easy, secure screen adjustment
- Modern slimline design with cover plates included to conceal fixings for a smart finish
- 2 Security locking screws & Allen key provided for a secure installation
- Compatible with B-Tech's System 2 range, including direct mounting to BT7052 Collars for pole-mounted installations

RECOMMENDED MAX SCREEN	MAX LOAD	MAX VESA	TILT	SWIVEL	ROTATION	
28" 71cm	10kg	100 x 100	15° 10°	59°	360°	



vantage • compact 200

BT7519 FLAT SCREEN WALL MOUNT WITH TILT & SWIVEL

The **BT7519** is a versatile wall mount that allows flat screen displays to be securely installed just 70mm from the wall while still providing smooth tilt adjustment for optimal viewing. Featuring B-Tech's UltraGlide Tilt technology, the screen angle can be adjusted easily without the need for tools. Cover plates are included to conceal fixings and create a clean, professional finish. Suitable for both commercial and home installations, the BT7519 can also be used with B-Tech's System 2 poles and collars, offering additional mounting flexibility when required.



SPECIFICATIONS

Recommended screen size	up to 47"
Max load	30kg
VESA compatibility	up to 200 x 200
Tilt adjustment	+17° / -10°
Swivel at wall	+/- 40°
Screen levelling	+/- 6°
Distance from wall	70mm

FEATURES

- 1 B-Tech's **UltraGlide Tilt & Swivel** technology provides smooth, tool-free tilt adjustment, allowing quick and easy changes to the viewing angle
 - 2 Screen levelling after installation enables small adjustments to correct screen alignment once mounted
 - 3 Security locking screws & Allen key provided for a secure installation
 - 4 Compatible with B-Tech's System 2 range, including direct mounting to BT7052 Collars for pole-mounted installations
- Modern slimline design with cover plates included that conceal all fixings for a smart finish
 - Keyhole wall plate fixings allow single-screw hanging for easy positioning before fixing into place with additional screws
 - Wall plate designed with a flat edge for easy spirit-level alignment during installation
 - Simple 'hook-on' installation
 - All mounting hardware included
 - **100% plastic free packaging**

RECOMMENDED MAX SCREEN	MAX LOAD	MAX VESA	TILT	SWIVEL	COLLAR COMPATIBLE	PLASTIC FREE PACKAGING	
47" 119cm	30kg	200 x 200	17° 10°	40° 40°			



vantage • single 100

BT7512



SLIM SINGLE ARM

FLAT SCREEN WALL MOUNT

SPECIFICATIONS	
Recommended screen size	up to 28"
Max load	10kg
VESA® compatibility	50 x 50, 75 x 75 & 100 x 100
Tilt adjustment	15° upward / 10° downward
Swivel at wall	180°
Screen Rotation	360°
Distance from the wall	39mm up to 280mm

- FEATURES**
- 1 B-Tech's **UltraGlide Tilt & Swivel** technology provides smooth, tool-free tilt adjustment, allowing quick and easy changes to the viewing angle
 - 2 Modern slimline design with cover plates included to conceal fixings for a smart finish
 - Integrated cable management for a smart installation
 - Compatible with B-Tech's System 2 range, including direct mounting to BT7052 Collars for pole-mounted installations

RECOMMENDED MAX SCREEN	MAX LOAD	MAX VESA	TILT	SWIVEL	ROTATION	
28" 71cm	10kg	100 x 100	15° ↑ 10° ↓	180°	360°	



vantage • double 100

BT7513


SLIM DOUBLE ARM

FLAT SCREEN WALL MOUNT

SPECIFICATIONS	
Recommended screen size	up to 28"
Max load	10kg
VESA® compatibility	50 x 50, 75 x 75 & 100 x 100
Tilt adjustment	15° upward / 10° downward
Swivel at wall	180°
Swivel at interface	240°
Screen Rotation	360°

- FEATURES**
- 1 B-Tech's **UltraGlide Tilt & Swivel** technology provides smooth, tool-free tilt adjustment, allowing quick and easy changes to the viewing angle
 - 2 Modern slimline design with cover plates included to conceal fixings for a smart finish
 - Integrated cable management for a smart installation
 - Compatible with B-Tech's System 2 range, including direct mounting to BT7052 Collars for pole-mounted installations

RECOMMENDED MAX SCREEN	MAX LOAD	MAX VESA	TILT	SWIVEL	ROTATION	
28" 71cm	10kg	100 x 100	15° ↑ 10° ↓	180°	360°	



vantage • single 200

BT7514


SINGLE ARM

FLAT SCREEN WALL MOUNT

SPECIFICATIONS	
Recommended screen size	up to 47"
Max load	25kg
VESA® compatibility	up to 200 x 200
Tilt adjustment	17° upward / 10° downward
Screen levelling	+/- 6°
Swivel at wall	180°
Distance from wall	48mm up to 336mm

- FEATURES**
- 1 B-Tech's **UltraGlide Tilt & Swivel** technology provides smooth, tool-free tilt adjustment, allowing quick and easy changes to the viewing angle
 - 2 Modern slimline design with cover plates included to conceal fixings for a smart finish
 - Integrated cable management for a smart installation
 - Compatible with B-Tech's System 2 range, including direct mounting to BT7052 Collars for pole-mounted installations

RECOMMENDED MAX SCREEN	MAX LOAD	MAX VESA	TILT	SWIVEL	ROTATION	
47" 119cm	25kg	200 x 200	17° ↑ 10° ↓	180°	360°	



vantage • double 200

BT7515


DOUBLE ARM

FLAT SCREEN WALL MOUNT

SPECIFICATIONS	
Recommended screen size	up to 47"
Max load	25kg
VESA® compatibility	up to 200 x 200
Tilt adjustment	17° upward / 10° downward
Swivel at wall	180°
Swivel at interface	240°
Screen levelling	+/- 6°

- FEATURES**
- 1 B-Tech's **UltraGlide Tilt & Swivel** technology provides smooth, tool-free tilt adjustment, allowing quick and easy changes to the viewing angle
 - 2 Modern slimline design with cover plates included to conceal fixings for a smart finish
 - Integrated cable management for a smart installation
 - Compatible with B-Tech's System 2 range, including direct mounting to BT7052 Collars for pole-mounted installations

RECOMMENDED MAX SCREEN	MAX LOAD	MAX VESA	TILT	SWIVEL	ROTATION	
28" 71cm	10kg	100 x 100	15° ↑ 10° ↓	180°	360°	



vantage • elite

BT8226

DOUBLE ARM FLAT SCREEN WALL MOUNT WITH TILT & SWIVEL

Designed to mount medium to large sized screens, the **BT8226** universal double arm wall mount features an easy to tilt interface and three swivel points, for a quick, smooth repositioning of the screen - whether folded flat to the wall (at a depth of just 50mm) or at maximum extension. Cover plates and integrated cable management help hide all fixings for a neat and tidy mounting solution, ideal for both commercial and home installations.

SPECIFICATIONS


Recommended screen size	32" up to 65"
Max load	35kg
VESA® compatibility	up to 600 x 400mm
Tilt	+14° / -3°
Swivel	180° at wall & interface, 360° at central pivot
Distance from wall	Min: 50mm Max: 574mm
Colour	Black

FEATURES

- 1 Attractive cover plates included to hide fixings
- 2 Lateral adjustment of screen once mounted
- 3 Integrated cable management
- 4 Screen levelling of up to 3° in either direction
- Easy tilt and swivel adjustments
- Slim-line design allows close to the wall installation when folded flat
- Features three swivel points; ideal for corner mounting
- Tool-less tilt with option to lock in position
- Keyhole mounting and drilling template for a quick and easy installation
- Safety screws help prevent unauthorised removal of screens
- Simple 'hook-on' installation with all mounting hardware included



RECOMMENDED MAX SCREEN	MAX LOAD	MAX VESA	POST INSTALL ALIGNMENT	COLLAR COMPATIBLE	TILT	SWIVEL	
65" 165cm	35kg	600 x 400			3° 14°	180°	



vantage • extra

BT8229

DOUBLE ARM FLAT SCREEN WALL MOUNT WITH TILT & SWIVEL

Designed for medium to largescreens, the **BT8229** universal double arm wall mount combines strength and versatility with effortless usability. Its unique soft-touch tilt mechanism allows users to reposition displays up to 35kg with a simple touch, securely holding the tilt in place. Featuring three swivel points at the wall, arm and interface, the mount enables quick and smooth screen adjustments, whether folded flat against the wall or fully extended. Compatible with 16" stud walls, brick, and concrete surfaces, this mount is engineered for both commercial and home installations.

SPECIFICATIONS



Recommended screen size	up to 65"
Max load	35kg
Universal fixings	up to 600 x 400mm
Tilt	+14° / -3°
Screen levelling	+/- 3°
Swivel	180° at wall & interface, 360° at central pivot
Lateral adjustment	+/- 20mm
Distance from wall	Min: 65mm Max: 591mm
Colour	Black

FEATURES

- 1 Soft-touch tilt for easy, secure screen adjustment
- 2 Paper wall template included for easy hole marking
- 3 Swivel points enables quick, smooth screen positioning
- 4 Ideal for mounting across 16" stud walls
- Integrated cable management throughout the mount
- Suitable for both landscape and portrait mounting
- Tilt can also be fixed at selected angles of -2° & 15°
- Slim-line design allows close-to-wall installation when folded flat
- Lateral adjustment of screen after mounting
- Safety screws to prevent unauthorised screen removal
- Cover plates included for an attractive finish
- Simple 'hook-on' installation with all mounting hardware included
- 100% plastic free packaging



RECOMMENDED MAX SCREEN	MAX LOAD	MAX VESA	TILT	SWIVEL	POST INSTALL ALIGNMENT	COLLAR COMPATIBLE	PLASTIC FREE PACKAGING	
65" 165cm	35kg	600 x 400	2° 14°	180°				



vantage • plus

BT8227
TWIN CANTILEVER
FLAT SCREEN WALL MOUNT
WITH TILT & SWIVEL

Designed for large screens up to 75", the **BT8227** universal twin-cantilever wall mount combines strength and versatility with effortless usability. Its unique soft-touch tilt mechanism allows users to reposition displays up to 50kg with a simple touch, securely holding the tilt in place. Featuring swivel points at the wall and interface, the mount enables quick and smooth screen adjustments, whether folded flat against the wall or fully extended. Compatible with 16" stud walls, brick, and concrete surfaces, this mount is engineered for both commercial and home installations.

SPECIFICATIONS


Recommended screen size	up to 75"
Max load	50kg
Universal fixings	up to 600 x 400mm
Tilt	+14° / -3°
Screen levelling	+/- 3°
Swivel	180° at wall & interface
Lateral adjustment	+/- 20mm
Distance from wall	Min: 63mm Max: 582mm
Colour	Black

FEATURES

- 1 Soft-touch tilt for easy, secure screen adjustment
- 2 Paper wall template included for easy hole marking
- 3 Swivel points enables quick, smooth screen positioning
- 4 Ideal for mounting across 16" stud walls
- Integrated cable management throughout the mount
- Suitable for both landscape and portrait mounting
- Tilt can also be fixed at selected angles of -2°, 0° & 15°
- Slim-line design allows close-to-wall installation when folded flat
- Lateral adjustment of screen after mounting
- Safety screws to prevent unauthorised screen removal
- Cover plates included for an attractive finish
- Simple 'hook-on' installation with all mounting hardware included

■ 100% plastic free packaging

RECOMMENDED MAX SCREEN	MAX LOAD	MAX VESA	TILT	SWIVEL	POST INSTALL ALIGNMENT	COLLAR COMPATIBLE	PLASTIC FREE PACKAGING	QR CODE
75" 190cm	50kg	600 x 400	180°	3° 14°				



vantage • max

BT8228
HEAVY DUTY TWIN CANTILEVER ARM
FLAT SCREEN WALL MOUNT

Designed to mount extra-large screens, the **BT8228** heavy-duty twin cantilever arm wall mount features an easy to tilt interface and three swivel points for quick, smooth repositioning of the screen - whether folded flat to the wall or at maximum extension. Featuring cover plates and integrated cable management for a tidy mounting solution, the BT8228 is ideal for both commercial and home installations.


SPECIFICATIONS

Recommended screen size	65" up to 120"
Max load	125kg
VESA® compatibility	300 x 200mm up to 800 x 600mm
Tilt	-3° / +15°
Swivel	180°
Distance from wall	Min: 90mm Max: 628mm

FEATURES

- 1 Easy tool-less tilt and swivel adjustments
- 2 Slim-line design allows close to the wall installation when folded flat
- 3 Integrated cable management
- 4 Attractive cover plates hide fixings
- Suitable for portrait and landscape mounting
- Screen levelling of up to 2° in either direction
- Lateral adjustment of the screen once mounted
- Keyhole mounting and drilling template for a quick and easy installation
- Safety screws help prevent unauthorised removal of screens
- Simple 'hook-on' installation with all mounting hardware included

RECOMMENDED MAX SCREEN	MAX LOAD	MAX VESA	POST INSTALL ALIGNMENT	TILT	SWIVEL	QR CODE
120" 305cm	125kg	800 x 600		3° 15°	180°	





vantage

United Kingdom
+44 (0)1327 300 787

uk@btechavmounts.com

Europe
+32 (0)2 720 9271

europe@btechavmounts.com

Germany
+49 (0)21625483032

dach@btechavmounts.com

Spain
+34 93 640 24 79

iberia@btechavmounts.com

Americas
+1 888 792 8188

americas@btechavmounts.com

MEAI
+971 4 3574855

meai@btechavmounts.com

APAC
+65 3159 1604

apac@btechavmounts.com

China
(+86) 574 8810 3861

china@btechavmounts.com

South Korea
+82 (0) 2 862 3165

korea@btechavmounts.com

Vietnam
+84 (0)24 3201 3418

vietnam@btechavmounts.com

For full details of all B-Tech offices, please visit www.btechavmounts.com/contact-us or scan here:



© 2026 August B-Tech AV Mounts Corporation Ltd., All rights reserved.

The information in this catalogue reflects the current technical specifications at the time of print. We reserve the right to change the technical or physical specifications without prior notice. B-Tech AV Mounts, the B-Tech logo & Momentum are all registered trademarks. All B-Tech images & symbols are exclusive property of B-Tech AV Mounts Corporation Ltd. All other brands & products are trademarks of their respective owners. B-Tech accept no liability for loss or damage caused by improper installation or mounting on unstable structures. E&OE.

Disclaimer

B-Tech security fasteners are designed as a security deterrent only. B-Tech, B-Tech distributors & B-Tech resellers accept no liability for loss or resulting costs incurred from the theft, attempted theft or unauthorised removal of any item(s) mounted using B-Tech security fasteners. Security screw removal tools are widely available & all B-Tech security fasteners are intended as a deterrent to the opportunist thief only.

B-Tech AV Mounts is part of the



GLOBAL MOUNTS GROUP

www.globalmountsgroup.com


Designed & Engineered
in the UK

VPB-2026-V1-070826-ENG

www.btechavmounts.com

info@btechavmounts.com